



STI, BBV and HIV Epidemiology Update Period Ending 4th Quarter 2019

Byron Minas and Kellie Mitchell Communicable Disease Control Directorate Department of Health

Number of chlamydia, gonorrhoea, unspecified hepatitis B & unspecified hepatitis C notifications in WA by time period




Number of infectious syphilis, newly acquired hepatitis B & newly acquired hepatitis C notifications in WA by time period







Number of HIV notifications in WA by exposure category from 2015 to 2019



Number of male heterosexual HIV notifications in WA by place of acquisition from 2015 to 2019




Male heterosexual HIV notifications, overseas-acquired by region of acquisition, WA residents 2015 to 2019




South-East Asia-acquired male heterosexual HIV notifications by place of birth, WA residents 2015 to 2019





South-East Asia-acquired male heterosexual HIV notifications by₈age group (years), WA residents 2015 to 2019



South-East Asia-acquired male heterosexual HIV notifications by stage of infection 2015-2019 (n=61)

| Stage of Infection | Number | % |
|--------------------|--------|------|
| Newly acquired | 14 | 23% |
| Late stage | 4 | 7% |
| Advanced stage | 26 | 43% |
| Unspecified | 17 | 28% |
| Total | 61 | 100% |

Time from HIV diagnosis to treatment in WA

HIV notifications Quarter 1 to Quarter 3 2019 (n=62)

