



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 25-MAR-20 to 19-MAY-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 20			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	31/03	07/04	14/04	21/04	28/04	05/05	12/05	19/05	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			2	1				1	5	13	8	1	2.1	0.5
Hepatitis B (unspecified)	8	6	6	5	11	7	7	5	168	172	185	30	44.6	0.7
Hepatitis C (newly acquired)	1	1	1		1	1	6	1	31	40	48	9	9.6	0.9
Hepatitis C (unspecified)	20	5	6	14	9	10	14	19	305	347	365	52	76.9	0.7
Enteric diseases														
Campylobacteriosis	31	24	25	27	28	40	27	24	1011	1186	1190	119	215.0	0.6
Cryptosporidiosis	23	15	9	11	3	5	4		448	95	60	12	21.6	0.6
Hepatitis A	1								6	15	4	0	0.7	0.0
Hepatitis E									3	2	0	0	0.2	0.0
Listeriosis									1	5	4	0	0.3	0.0
Paratyphoid fever									0	5	3	0	0.4	0.0
Rotavirus	2	2	5	1		3	2	1	86	117	99	6	38.8	0.2
STEC/VTEC infection		2	4	1					55	68	34	0	4.7	0.0
Salmonellosis	23	22	18	86	31	36	40	13	860	920	1000	120	169.4	0.7
Shigellosis	4	3	1	1	2	4	1	3	131	177	110	10	13.4	0.7
Typhoid		1							3	12	8	0	0.7	0.0
Vibrio parahaemolyticus									2	10	8	0	1.3	0.0
Yersiniosis				1			1		6	1	4	1	1.3	0.8
Sexually transmissible infections														
Chlamydia (genital)	142	154	105	178	176	198	196	119	4229	4746	4674	689	887.6	0.8
Gonorrhoea	53	74	58	85	56	72	66	15	1533	1610	1346	209	245.8	0.9
Syphilis - Infectious	13	10	9	11	8	5	17	11	253	219	139	41	25.1	1.6
Syphilis - Non-Infectious	2	3		3	5	2	6	4	79	90	94	17	10.6	1.6
Vaccine preventable diseases														
H. influenzae type b									1	1	1	0	0.1	0.0
Influenza	15	10	8	1	6	7	3	2	1155	3599	1149	18	850.5	0.0
Measles									4	20	11	0	1.0	0.0
Mumps		1	1		1		1		9	12	11	2	13.9	0.1
Pertussis		3	5	1	1			2	93	272	498	3	83.7	0.0
Pneumococcal infection	1	1	1			2		2	38	54	54	4	14.7	0.3
Varicella (chicken pox)	6	4	4	1	5	4	3	2	143	233	213	14	41.1	0.3
Varicella (shingles)	30	46	39	32	40	49	37	12	836	847	925	138	144.9	1.0
Varicella (unspecified)	16	25	18	33	29	17	33	25	573	561	645	104	112.2	0.9
Vector-borne diseases														
Barmah Forest virus	1						1		10	6	21	1	3.2	0.3
Chikungunya									6	1	0	0	0.5	0.0
Dengue fever	2	2		1					62	157	50	0	32.1	0.0
Malaria			1						24	20	19	0	4.1	0.0
Ross River virus	6	13	2	6	7	5	6	2	134	194	293	20	64.5	0.3
Typhus		1							11	5	9	0	1.9	0.0
Zoonotic diseases														
Leptospirosis									0	3	1	0	0.3	0.0
Q Fever	1				1				3	3	4	1	1.0	1.0
Other diseases														
Acute post-streptococcal glomerulonephritis									1	4	13	0	0.3	0.0
COVID-19	183	86	36	10	2		5		557	0	0	7	0.0	0.0
Creutzfeldt-Jakob disease					1				1	3	4	1	0.5	1.9
Haemolytic Uraemic Syndrome									1	1	0	0	0.1	0.0
Legionellosis	3	2	1		2	3	3		24	12	17	8	3.8	2.1
Melioidosis		1							4	4	1	0	0.3	0.0
Meningococcal infection						1			4	10	8	1	0.9	1.1
Tuberculosis	1	4	1	2	1	1	3		47	39	51	5	9.7	0.5
Grand Total	588	521	366	512	426	472	482	263						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 20			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	31/03	07/04	14/04	21/04	28/04	05/05	12/05	19/05	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1					1	3	8	6	1	1.7	0.6
Hepatitis B (unspecified)	5	6	6	5	9	6	7	5	146	149	150	27	38.2	0.7
Hepatitis C (newly acquired)	1	1	1		1	1	3		23	30	37	5	7.1	0.7
Hepatitis C (unspecified)	12	4	5	8	6	8	8	14	216	228	274	36	53.1	0.7
Enteric diseases														
Campylobacteriosis	25	16	17	20	20	32	22	19	811	972	946	93	173.2	0.5
Cryptosporidiosis	19	12	6	9	3	3	2		393	45	29	8	11.3	0.7
Hepatitis A									5	14	4	0	0.6	0.0
Hepatitis E									3	2	0	0	0.2	0.0
Paratyphoid fever									0	5	3	0	0.3	0.0
Rotavirus	2	2	5	1		2	2		71	99	85	4	24.7	0.2
STEC/VTEC infection		2	4	1					44	51	27	0	3.5	0.0
Salmonellosis	14	18	12	76	20	28	28	10	655	727	769	86	124.8	0.7
Shigellosis	2	1	1			1			70	118	37	1	6.3	0.2
Typhoid		1							3	11	8	0	0.5	0.0
Vibrio parahaemolyticus									2	9	7	0	0.9	0.0
Yersiniosis				1			1		6	1	3	1	0.9	1.1
Sexually transmissible infections														
Chlamydia (genital)	113	122	80	143	134	154	152	100	3294	3698	3669	540	693.2	0.8
Gonorrhoea	41	56	43	61	32	48	52	9	1085	1173	871	141	162.3	0.9
Syphilis - Infectious	8	7	4	6	6	4	13	8	156	121	112	31	16.3	1.9
Syphilis - Non-Infectious	1	2		1	5	2	6	4	67	63	78	17	7.9	2.1
Vaccine preventable diseases														
Influenza	3	5	4		4	2	3	2	931	2548	952	11	659.9	0.0
Measles									4	13	11	0	0.9	0.0
Mumps			1		1				6	8	10	1	2.3	0.4
Pertussis		2	5		1			2	73	210	320	3	60.9	0.0
Pneumococcal infection	1		1						15	36	27	0	8.9	0.0
Varicella (chicken pox)	2	3	3	1	4	3	3	1	99	163	159	11	31.4	0.4
Varicella (shingles)	20	34	24	22	28	35	29	8	609	609	657	100	103.8	1.0
Varicella (unspecified)	15	23	16	32	26	16	30	20	524	540	625	92	104.9	0.9
Vector-borne diseases														
Barmah Forest virus							1		2	1	5	1	1.0	1.0
Chikungunya									2	1	0	0	0.4	0.0
Dengue fever	1	2		1					48	131	42	0	25.1	0.0
Malaria			1						18	19	17	0	3.5	0.0
Ross River virus	1	3	2	6	3	1	4	2	70	140	211	10	33.2	0.3
Typhus									6	4	5	0	1.1	0.0
Zoonotic diseases														
Leptospirosis									0	2	1	0	0.1	0.0
Q Fever	1				1				3	0	0	1	0.3	3.0
Other diseases														
COVID-19	117	37	14	5	2		5		370	0	0	7	0.0	0.0
Creutzfeldt-Jakob disease					1				1	3	2	1	0.3	3.8
Legionellosis	3		1		1	1	3		12	11	14	5	2.9	1.7
Meningococcal infection						1			2	3	4	1	0.7	1.5
Tuberculosis	1	4	1	2	1	1	3		43	34	40	5	8.2	0.6
Grand Total	408	363	258	401	309	349	377	205						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)				1	1	0.1			0.3
Hepatitis B (unspecified)	1	9 (5)	5.9	2	10 (5)	5.6	2	8 (16)	7.6
Hepatitis C (newly acquired)		(1)	0.4		(4)	0.6		5 (5)	1.9
Hepatitis C (unspecified)	3	8 (10)	5.0	4	10 (13)	12.8	7	18 (11)	10.7
Enteric diseases									
Campylobacteriosis	8	33 (71)	36.0	7	32 (58)	35.5	4	28 (61)	34.6
Cryptosporidiosis		3 (4)	25.6		3 (4)	12.1		2	13.1
Hepatitis A			0.1			0.1			0.4
Hepatitis E			0.3						0.1
Listeriosis									
Rotavirus		2 (12)	4.0		1 (7)	2.4		1 (11)	2.8
STEC/VTEC infection		(3)	2.4		(3)	0.8		(5)	2.4
Salmonellosis	6	27 (41)	31.5	2	22 (48)	24.1	2	37 (43)	29.7
Shigellosis		1 (6)	2.8		(6)	3.3		(8)	3.1
Typhoid			0.1			0.1		(1)	0.1
Vibrio parahaemolyticus						0.3			
Yersiniosis			0.3		1	0.4			0.1
Sexually transmissible infections									
Chlamydia (genital)	21	135 (212)	123.5	34	177 (222)	153.6	45	228 (225)	153.3
Gonorrhoea	2	39 (43)	38.3		40 (66)	47.5	7	62 (94)	55.6
Syphilis - Infectious	4	12 (4)	5.9	1	8 (4)	5.8	3	11 (8)	8.5
Syphilis - Non-Infectious	3	7 (2)	2.9		1 (2)	1.9	1	9 (7)	3.7
Vaccine preventable diseases									
H. influenzae type b									
Influenza	1	4 (460)	46.4	1	5 (304)	37.0		2 (415)	37.9
Measles			0.3			0.3			
Mumps		1	0.5		(1)	0.1			0.1
Pertussis		(14)	3.4		1 (20)	4.3	2	2 (9)	1.8
Pneumococcal infection		(3)	0.9		(6)	0.8		(2)	0.3
Varicella (chicken pox)		1 (10)	4.4		4 (11)	4.6	1	6 (5)	4.0
Varicella (shingles)	2	40 (46)	27.5	2	26 (27)	29.5	4	34 (36)	22.9
Varicella (unspecified)	7	38 (49)	23.3	6	28 (38)	26.9	7	26 (32)	18.6
Vector-borne diseases									
Barmah Forest virus					1	0.1			0.1
Chikungunya						0.1			0.1
Dengue fever		(17)	1.9		(12)	2.2		(6)	2.2
Malaria		(1)	0.5			0.4		(1)	1.4
Ross River virus		1 (8)	1.9	2	9 (14)	5.3		(6)	2.2
Typhus		(1)	0.3		(2)	0.3			0.3
Zoonotic diseases									
Q Fever						0.1		1	0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		4	18.1		1	18.2		2	12.2
Creutzfeldt-Jakob disease								1	0.1
Haemolytic Uraemic Syndrome									
Legionellosis		1 (1)	0.8		3	0.6		1 (1)	0.3
Melioidosis									
Meningococcal infection								1	0.3
Tuberculosis		(2)	2.0		2 (1)	1.5		3 (3)	2.1
Grand Total	58	366 *****		62	386 (878)		85	488 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		1	1.0				1		6.3
Hepatitis C (newly acquired)		1	0.5			1.6	1		2.5
Hepatitis C (unspecified)	4	9 (3)	15.8		(3)	20.4	3 (1)		16.3
Enteric diseases									
Campylobacteriosis	2	12 (14)	37.3		1 (9)	28.2	2 (2)		37.7
Cryptosporidiosis		3 (2)	10.7			6.3			6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus		(3)	2.6						2.5
STEC/VTEC infection		(1)	2.6			1.6			1.3
Salmonellosis	2	9 (15)	31.6		2	15.7	1	6 (1)	28.9
Shigellosis						3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	4	39 (32)	113.8	2	15 (13)	100.4	1	8 (13)	64.1
Gonorrhoea	2	13 (16)	35.7		(2)	14.1	1	4 (6)	11.3
Syphilis - Infectious	1	3	4.6		1	3.1	1		1.3
Syphilis - Non-Infectious		(1)	1.0						1.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (106)	26.0		(76)	42.3		(87)	28.9
Measles									
Mumps									
Pertussis		(1)	6.1			1.6			
Pneumococcal infection			1.0						2.5
Varicella (chicken pox)		1 (6)	7.1						5.0
Varicella (shingles)	4	19 (21)	56.7		3 (7)	53.3	5 (6)		21.4
Varicella (unspecified)	3	5	4.6		2 (2)	17.3	1 (1)		11.3
Vector-borne diseases									
Barmah Forest virus		(1)	0.5			4.7			
Chikungunya			2.0						
Dengue fever		(2)	1.0						2.5
Malaria			0.5						
Ross River virus		1 (5)	5.1		1 (2)	7.8	1 (1)		3.8
Typhus			0.5						1.3
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			6.6			11.0			11.3
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis			2.6			1.6	1		2.5
Melioidosis									
Meningococcal infection									
Tuberculosis									
Grand Total	22	117 (229)		2	25 (114)		3	34 (118)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			4.2			4.9		(1)	5.7
Hepatitis B (unspecified)			1.4			1.6	1	2 (1)	2.8
Hepatitis C (newly acquired)		1 (5)	11.2		(4)	19.6	1	2 (3)	11.4
Hepatitis C (unspecified)									
Enteric diseases									
Campylobacteriosis	1	2 (4)	33.7	1	2 (7)	26.2		2 (6)	21.3
Cryptosporidiosis		1	5.6					(1)	27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		(1)	1.4			3.3	1	1 (1)	2.8
STEC/VTEC infection			5.6						
Salmonellosis		1 (3)	28.1		3 (2)	26.2		8 (7)	42.6
Shigellosis	1	4	30.9		(3)	4.9	1	1	11.4
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	2	19 (18)	136.2	1	17 (24)	209.3	2	16 (29)	177.7
Gonorrhoea		3 (3)	37.9		7 (7)	73.6		10 (12)	137.9
Syphilis - Infectious		2	5.6		(3)	13.1		(7)	38.4
Syphilis - Non-Infectious		(1)	1.4		(2)	4.9			1.4
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (90)	59.0		2 (63)	32.7		1 (13)	34.1
Measles									
Mumps					(1)	1.6		1	2.8
Pertussis			2.8			1.6		(1)	1.4
Pneumococcal infection		1	9.8		1 (1)	4.9		(1)	1.4
Varicella (chicken pox)		(1)	2.8	1	1 (2)	14.7		1 (1)	11.4
Varicella (shingles)		2 (5)	11.2		6 (4)	24.5		(2)	19.9
Varicella (unspecified)	1	1	18.2				1	2	2.8
Vector-borne diseases									
Barmah Forest virus								(1)	1.4
Chikungunya									
Dengue fever		(2)	1.4			6.5		(3)	1.4
Malaria						1.6			
Ross River virus		2 (1)	5.6			4.9		1 (6)	18.5
Typhus									2.8
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis			1.4		2	4.9			
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis									1.4
Grand Total	5	40 (134)		3	41 (123)		7	48 (96)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	1 (1)	0.2
Hepatitis B (unspecified)			9.8	5	30 (28)	5.8
Hepatitis C (newly acquired)				1	9 (11)	1.1
Hepatitis C (unspecified)		(1)	4.9	19	52 (56)	10.6
Enteric diseases						
Campylobacteriosis	1	4 (3)	36.9	24	119 (237)	35.2
Cryptosporidiosis		(8)	2.5	0	12 (19)	15.6
Hepatitis A				0	0 (0)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (0)	0.0
Rotavirus		1	2.5	1	6 (36)	3.0
STEC/VTEC infection				0	0 (13)	1.9
Salmonellosis		5 (6)	73.8	13	120 (168)	29.9
Shigellosis	1	4 (4)	56.6	3	10 (27)	4.6
Typhoid				0	0 (1)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	1 (0)	0.2
Sexually transmissible infections						
Chlamydia (genital)	6	31 (42)	492.3	119	689 (838)	147.1
Gonorrhoea	3	29 (17)	430.8	15	209 (271)	53.3
Syphilis - Infectious	2	2 (4)	88.6	11	41 (32)	8.8
Syphilis - Non-Infectious			2.5	4	17 (16)	2.6
Vaccine preventable diseases						
H. influenzae type b			2.5	0	0 (1)	0.0
Influenza		2 (27)	24.6	2	18*****	40.2
Measles				0	0 (0)	0.1
Mumps				0	2 (3)	0.3
Pertussis		(3)	7.4	2	3 (48)	3.2
Pneumococcal infection	2	2 (1)	14.8	2	4 (14)	1.3
Varicella (chicken pox)		(2)	7.4	2	14 (42)	5.0
Varicella (shingles)		2 (2)	46.8	12	138 (159)	29.1
Varicella (unspecified)				25	104 (122)	19.9
Vector-borne diseases						
Barmah Forest virus			7.4	0	1 (2)	0.3
Chikungunya				0	0 (0)	0.2
Dengue fever		(1)	2.5	0	0 (44)	2.2
Malaria				0	0 (2)	0.8
Ross River virus		4	61.5	2	20 (43)	4.7
Typhus			2.5	0	0 (3)	0.4
Zoonotic diseases						
Q Fever				0	1 (1)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	0 (0)	0.0
COVID-19			41.8	0	7 (0)	19.4
Creutzfeldt-Jakob disease				0	1 (0)	0.0
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.0
Legionellosis				0	8 (2)	0.8
Melioidosis		(1)	9.8	0	0 (2)	0.1
Meningococcal infection				0	1 (2)	0.1
Tuberculosis			2.5	0	5 (6)	1.0
Grand Total	15	86 (122)		263	1645 (3903)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 20	
	31/03	07/04	14/04	21/04	28/04	05/05	12/05	19/05	2020	2019
	Salmonella Total	23	22	18	86	31	36	40	13	860
Serotype/Phage										
Salmonella Adelaide									2	1
Salmonella Agona				1					4	4
Salmonella Amsterdam var 15+					1				2	0
Salmonella Anatum						1	1		7	13
Salmonella Anatum var 15+			1						3	2
Salmonella Bareilly		1							3	2
Salmonella Birkenhead									1	0
Salmonella Bleadon subsp II									1	1
Salmonella Bovismorbificans	1								5	8
Salmonella Bredeney									1	0
Salmonella Cerro					1				2	0
Salmonella Chailey									2	1
Salmonella Chester		1					1		16	10
Salmonella Choleraesuis bv Australia		1							7	8
Salmonella Choleraesuis bv Decatur						1			9	3
Salmonella Corvallis									3	3
Salmonella Derby									1	2
Salmonella Dublin									1	0
Salmonella Eastbourne									1	1
Salmonella Enteritidis	1			1					43	79
Salmonella Fremantle subsp II						1			3	3
Salmonella Hadar									1	0
Salmonella Haifa									1	0
Salmonella Havana							1		2	5
Salmonella Hessarek									1	0
Salmonella Hvittingfoss									1	3
Salmonella Ibadan	1								2	0
Salmonella Infantis		2					1		13	9
Salmonella Jangwani	1								1	0
Salmonella Javiana									2	5
Salmonella Johannesburg									1	0
Salmonella Kentucky									3	9
Salmonella Kiambu						1			1	2
Salmonella Kottbus	1			1					2	1
Salmonella Lansing							1		1	0
Salmonella Litchfield						1			4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	1
Salmonella Mississippi									1	1
Salmonella Montevideo									1	1
Salmonella Muenchen	2	2							19	9
Salmonella Newport		1		1					8	13
Salmonella Oranienburg					1				3	4
Salmonella Orientalis									1	1
Salmonella Orion					1				1	0
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java									21	42
Salmonella Pomona									0	0

Weekly Report for period 25-MAR-20 to 19-MAY-20

	31/03	07/04	14/04	21/04	28/04	05/05	12/05	19/05	Cumulative Total to end of Week 20	
										2020
Salmonella Total	23	22	18	86	31	36	40	13	860	887
Serotype/Phage										
Salmonella Poona									1	3
Salmonella Potsdam	1	1			2				8	2
Salmonella Reading									2	6
Salmonella Richmond									0	0
Salmonella Rissen				1					3	3
Salmonella Rubislaw	1								1	0
Salmonella Saintpaul					1	1			21	22
Salmonella Schwarzengrund									1	3
Salmonella Senftenberg									1	2
Salmonella Singapore									2	1
Salmonella Stanley							1		7	13
Salmonella Thompson									3	1
Salmonella Typhimurium	11	10	13	77	23	28	28	5	503	500
Salmonella Virchow	1	2	1	1					15	12
Salmonella Wandsbek subsp II					1				3	3
Salmonella Waycross									1	0
Salmonella Welikade									3	2
Salmonella Weltevreden									5	7
Salmonella Weltevreden var 15+									1	1
Salmonella Zanzibar									1	0
Salmonella species	2	1	3	3		2	6	8	65	52
Salmonella subsp 1 ser 4,5:d:-									0	1
Salmonella subsp I ser 4,5:-:- non-motile									0	1