



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 08-APR-20 to 02-JUN-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 22			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/04	21/04	28/04	05/05	12/05	19/05	26/05	02/06	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	2	1				1	1		6	14	8	2	2.5	0.8
Hepatitis B (unspecified)	6	5	11	7	7	6	8	11	188	190	202	32	45.7	0.7
Hepatitis C (newly acquired)	1		1	1	7	1	7		38	43	53	15	9.1	1.7
Hepatitis C (unspecified)	6	14	9	10	13	19	17	16	338	377	389	65	78.1	0.8
Enteric diseases														
Campylobacteriosis	25	27	29	41	32	53	37	17	1101	1290	1292	139	218.3	0.6
Cryptosporidiosis	9	11	3	5	4	2	1		451	101	62	7	16.5	0.4
Hepatitis A									6	15	4	0	0.8	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis									1	5	4	0	0.5	0.0
Paratyphoid fever									0	5	3	0	0.3	0.0
Rotavirus	5	1		3	2	6	4	2	97	143	108	14	44.5	0.3
STEC/VTEC infection	4	1				1	1		57	74	36	2	4.0	0.5
Salmonellosis	20	85	31	40	46	25	23	9	913	1006	1080	103	155.2	0.7
Shigellosis	1	1	3	3	2	4	5	1	137	185	123	12	13.1	0.9
Typhoid									3	12	8	0	0.7	0.0
Vibrio parahaemolyticus									2	12	8	0	1.4	0.0
Yersiniosis		1			1				6	2	6	1	1.5	0.7
Sexually transmissible infections														
Chlamydia (genital)	106	178	177	206	209	205	207	81	4621	5124	5123	702	891.7	0.8
Gonorrhoea	60	83	57	71	70	53	68	13	1656	1753	1460	204	245.9	0.8
Syphilis - Infectious	9	11	8	6	14	25	14	5	284	240	158	58	23.8	2.4
Syphilis - Non-Infectious		3	5	2	5	7	6	1	88	95	106	19	10.9	1.7
Vaccine preventable diseases														
H. influenzae type b									1	1	1	0	0.1	0.0
Influenza	8	1	6	7	3	4	2		1159	6331	1273	9	1224.7	0.0
Measles									4	20	11	0	0.7	0.0
Mumps	1		1		1				9	13	13	1	12.3	0.1
Pertussis	5	1	1			1	3	2	98	297	549	6	88.5	0.1
Pneumococcal infection	1		1	2		4	2		43	73	59	6	16.9	0.4
Varicella (chicken pox)	4	1	5	4	3	7	8	3	164	252	241	21	42.7	0.5
Varicella (shingles)	39	34	42	51	47	36	39	6	944	936	1014	128	142.5	0.9
Varicella (unspecified)	18	29	28	17	28	23	32	22	585	601	703	105	115.2	0.9
Vector-borne diseases														
Barmah Forest virus					1	2			12	6	23	3	2.6	1.2
Chikungunya									6	1	0	0	0.5	0.0
Dengue fever		1							62	172	54	0	29.3	0.0
Malaria	1								24	25	19	0	4.1	0.0
Ross River virus	2	6	7	6	8	11	4	2	153	209	307	25	55.7	0.4
Typhus							2		13	7	9	2	1.9	1.0
Zoonotic diseases														
Leptospirosis						1			1	3	1	1	0.2	5.0
Q Fever	1						1		4	3	5	1	0.9	1.2
Other diseases														
Acute post-streptococcal glomerulonephritis									1	4	13	0	0.3	0.0
COVID-19	36	10	2		6	3	14	4	583	0	0	27	0.0	0.0
Creutzfeldt-Jakob disease			1						1	3	4	0	0.6	0.0
Haemolytic Uraemic Syndrome									1	1	1	0	0.1	0.0
Legionellosis	1		3	3	3	2	5	1	33	14	19	11	4.2	2.6
Melioidosis							1		5	4	1	1	0.4	2.5
Meningococcal infection				1					4	10	10	0	1.1	0.0
Tuberculosis	1	2	1	1	3		5	1	53	45	53	9	9.9	0.9
Grand Total	372	507	432	487	515	502	517	197						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 22			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/04	21/04	28/04	05/05	12/05	19/05	26/05	02/06	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1					1	1		4	9	6	2	1.9	1.0
Hepatitis B (unspecified)	6	5	9	6	7	6	7	8	162	167	165	28	39.3	0.7
Hepatitis C (newly acquired)	1		1	1	3		5		27	33	42	8	6.9	1.2
Hepatitis C (unspecified)	5	8	6	8	8	14	14	14	245	250	292	50	54.3	0.9
Enteric diseases														
Campylobacteriosis	17	20	20	33	27	41	32	14	885	1053	1027	114	173.8	0.7
Cryptosporidiosis	6	9	3	3	2	1	1		395	48	31	4	9.2	0.4
Hepatitis A									5	14	4	0	0.7	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Paratyphoid fever									0	5	3	0	0.3	0.0
Rotavirus	5	1		2	2	3	3	2	79	122	91	10	29.1	0.3
STEC/VTEC infection	4	1				1	1		46	55	28	2	3.1	0.7
Salmonellosis	12	77	20	31	33	19	13	6	690	789	831	71	114.7	0.6
Shigellosis	1			1		1	2	1	72	124	39	4	6.0	0.7
Typhoid									3	11	8	0	0.5	0.0
Vibrio parahaemolyticus									2	9	7	0	0.9	0.0
Yersiniosis		1			1				6	1	5	1	1.1	0.9
Sexually transmissible infections														
Chlamydia (genital)	80	143	135	160	158	160	162	71	3599	4010	4018	551	694.2	0.8
Gonorrhoea	43	61	33	48	53	27	48	10	1162	1283	948	138	161.0	0.9
Syphilis - Infectious	4	6	6	5	11	18	13	4	182	132	123	46	15.5	3.0
Syphilis - Non-Infectious		1	5	2	5	7	6	1	76	65	86	19	8.1	2.3
Vaccine preventable diseases														
Influenza	4		4	2	3	2	2		932	4548	1062	7	974.9	0.0
Measles									4	13	11	0	0.7	0.0
Mumps	1		1						6	9	12	0	2.3	0.0
Pertussis	5		1			1	3	2	78	229	350	6	64.9	0.1
Pneumococcal infection	1					1			16	48	29	1	10.5	0.1
Varicella (chicken pox)	3	1	4	3	3	5	8	1	114	176	176	17	32.4	0.5
Varicella (shingles)	24	24	30	37	37	24	28	5	688	664	717	94	101.5	0.9
Varicella (unspecified)	16	28	25	16	26	19	32	21	547	579	680	98	108.2	0.9
Vector-borne diseases														
Barmah Forest virus					1	1			3	1	5	2	0.9	2.3
Chikungunya									2	1	0	0	0.3	0.0
Dengue fever		1							48	142	45	0	22.8	0.0
Malaria	1								18	24	17	0	3.2	0.0
Ross River virus	2	6	3	2	6	9	3	1	84	150	222	19	28.9	0.7
Typhus							2		8	6	5	2	1.1	1.9
Zoonotic diseases														
Leptospirosis									0	2	1	0	0.1	0.0
Q Fever	1								3	0	0	0	0.3	0.0
Other diseases														
COVID-19	14	5	2		5		2	2	376	0	0	9	0.0	0.0
Creutzfeldt-Jakob disease			1						1	3	2	0	0.3	0.0
Legionellosis	1		2	1	3	1	3	1	18	12	16	8	3.0	2.7
Meningococcal infection				1					2	3	6	0	0.8	0.0
Tuberculosis	1	2	1	1	3		5	1	49	38	42	9	8.3	1.1
Grand Total	259	400	312	363	397	362	396	165						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	0.1		1 (1)	0.1			0.3
Hepatitis B (unspecified)	3	10 (11)	6.7	3	10 (5)	6.3	2	8 (15)	8.2
Hepatitis C (newly acquired)			0.3		4 (3)	1.1		4 (5)	2.1
Hepatitis C (unspecified)	4	15 (10)	6.3	4	14 (13)	14.1	6	21 (19)	12.0
Enteric diseases									
Campylobacteriosis	6	31 (59)	38.3	2	44 (60)	40.0	6	39 (62)	37.7
Cryptosporidiosis		1 (4)	25.6		2	12.4		1 (1)	13.1
Hepatitis A			0.1			0.1			0.4
Hepatitis E			0.3						0.1
Listeriosis									
Rotavirus	1	2 (19)	4.1		1 (10)	2.5	1	7 (6)	3.6
STEC/VTEC infection		1 (2)	2.5		1 (2)	1.0		(5)	2.4
Salmonellosis	2	26 (47)	33.0	1	15 (34)	25.3	3	30 (44)	31.5
Shigellosis		2 (5)	2.9		(5)	3.2	1	2 (3)	3.3
Typhoid			0.1			0.1		(1)	0.1
Vibrio parahaemolyticus						0.3			
Yersiniosis			0.3		1	0.4			0.1
Sexually transmissible infections									
Chlamydia (genital)	23	154 (217)	135.4	17	177 (215)	166.6	31	220 (228)	168.3
Gonorrhoea	2	42 (52)	41.3	4	37 (63)	50.6	4	59 (85)	59.5
Syphilis - Infectious	1	17 (7)	6.8	2	12 (4)	6.8	1	17 (11)	9.9
Syphilis - Non-Infectious		6	2.9		4 (2)	2.5	1	9 (6)	4.4
Vaccine preventable diseases									
H. influenzae type b									
Influenza		3*****	46.3		3 (739)	37.2		1 (938)	38.1
Measles			0.3			0.3			
Mumps			0.5		(2)	0.1			0.1
Pertussis		1 (13)	3.5		2 (21)	4.6	2	3 (5)	2.1
Pneumococcal infection		1 (7)	1.0		(5)	0.8		(5)	0.3
Varicella (chicken pox)		5 (8)	4.9		5 (9)	5.4	1	7 (4)	4.6
Varicella (shingles)	1	33 (47)	31.0	2	30 (39)	33.4	2	31 (30)	25.8
Varicella (unspecified)	11	36 (45)	24.1	5	34 (32)	28.6	5	28 (30)	19.3
Vector-borne diseases									
Barmah Forest virus					2	0.3			0.1
Chikungunya						0.1			0.1
Dengue fever		(11)	1.9		(9)	2.2		(4)	2.2
Malaria		(2)	0.5			0.4		(5)	1.4
Ross River virus		2 (4)	2.0		16 (10)	7.0	1	1 (11)	2.3
Typhus		(2)	0.3		(1)	0.3		2	0.5
Zoonotic diseases									
Leptospirosis									
Q Fever						0.1			0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		3	18.1			18.5	2	6	12.7
Creutzfeldt-Jakob disease									0.1
Haemolytic Uraemic Syndrome									
Legionellosis		2	1.0	1	5	1.0		1 (1)	0.4
Melioidosis									
Meningococcal infection									0.3
Tuberculosis		2 (1)	2.3	1	5 (1)	1.9		2 (5)	2.2
Grand Total	54	396 *****		42	425 *****		69	499 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)			1.0				1	1	7.5
Hepatitis C (newly acquired)		3	1.5			1.6		1	2.5
Hepatitis C (unspecified)		5 (2)	15.3	1	1 (3)	22.0		3 (2)	16.3
Enteric diseases									
Campylobacteriosis		8 (21)	39.3		1 (7)	29.8	1	3 (3)	41.5
Cryptosporidiosis		2	11.2			6.3			6.3
Hepatitis A						1.6			
Hepatitis E									
Listeriosis						1.6			
Rotavirus		1 (2)	3.1				2 (2)		5.0
STEC/VTEC infection		(1)	2.6			1.6		(1)	1.3
Salmonellosis	1	10 (10)	34.7		2	17.3		6 (3)	32.7
Shigellosis						3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	5	35 (35)	124.0	1	13 (12)	111.4	2	11 (10)	72.9
Gonorrhoea	1	13 (15)	39.8		(1)	14.1	1	5 (6)	15.1
Syphilis - Infectious		3	4.6			1.6			1.3
Syphilis - Non-Infectious		(1)	1.0						1.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (184)	27.1		(188)	42.3		(169)	28.9
Measles									
Mumps									
Pertussis		(1)	6.1			1.6			
Pneumococcal infection		(2)	1.0						2.5
Varicella (chicken pox)	2	2 (4)	8.7		(4)	1.6			5.0
Varicella (shingles)	1	21 (22)	63.3		2 (5)	56.5		4 (10)	26.4
Varicella (unspecified)	1	2	3.1		2 (2)	14.1			10.1
Vector-borne diseases									
Barmah Forest virus		(1)	0.5			4.7			
Chikungunya			2.0						
Dengue fever		(4)	1.0						2.5
Malaria			0.5						
Ross River virus	1	4 (4)	7.1		(1)	7.8		(3)	3.8
Typhus			0.5						1.3
Zoonotic diseases									
Leptospirosis		1	0.5						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			6.6			11.0			12.6
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis			2.6			1.6		1 (1)	3.8
Melioidosis									
Meningococcal infection									
Tuberculosis									
Grand Total	12	111 (309)		2	21 (223)		5	37 (210)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)			4.2	1	2	8.2	1	1 (1)	7.1
Hepatitis C (newly acquired)			1.4		1	3.3		2 (1)	2.8
Hepatitis C (unspecified)		2 (6)	12.6		1 (5)	21.3	1	2 (2)	12.8
Enteric diseases									
Campylobacteriosis		1 (3)	33.7		5 (3)	32.7	1	2 (7)	22.7
Cryptosporidiosis		1	5.6						27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		(1)	1.4			3.3	1		2.8
STEC/VTEC infection			5.6						
Salmonellosis	1	3 (4)	30.9		1 (4)	26.2		3 (3)	44.1
Shigellosis		2 (1)	30.9		1 (2)	6.5		1 (1)	11.4
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	1	23 (19)	154.4		13 (23)	220.7		15 (28)	190.4
Gonorrhoea		8 (6)	47.7		7 (11)	76.9		11 (14)	149.2
Syphilis - Infectious		1	5.6	1	1 (4)	14.7		2 (6)	41.2
Syphilis - Non-Infectious		(2)	1.4		(3)	4.9			1.4
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(233)	59.0		(167)	32.7		1 (51)	35.5
Measles									
Mumps						1.6		1	2.8
Pertussis			2.8			1.6			1.4
Pneumococcal infection		1 (1)	11.2		1 (3)	8.2		1 (1)	2.8
Varicella (chicken pox)		1	5.6		1 (2)	14.7			11.4
Varicella (shingles)		(2)	16.8		3 (6)	27.8		2 (8)	22.7
Varicella (unspecified)		1	11.2					2	2.8
Vector-borne diseases									
Barmah Forest virus					1	1.6			1.4
Chikungunya									
Dengue fever			1.4		(1)	6.5		(3)	1.4
Malaria						1.6			
Ross River virus			5.6			4.9		1 (3)	18.5
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever		1	1.4						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis		1	2.8			4.9		1	1.4
Melioidosis					1	1.6			
Meningococcal infection						1.6			
Tuberculosis								(1)	1.4
Grand Total	2	46 (278)		2	39 (234)		3	49 (130)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	2 (2)	0.2
Hepatitis B (unspecified)			9.8	11	32 (33)	6.5
Hepatitis C (newly acquired)				0	15 (9)	1.3
Hepatitis C (unspecified)		1	7.4	16	65 (64)	11.8
Enteric diseases						
Campylobacteriosis	1	5 (3)	44.3	17	139 (231)	38.3
Cryptosporidiosis		(2)	2.5	0	7 (9)	15.7
Hepatitis A				0	0 (0)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (0)	0.0
Rotavirus			2.5	2	14 (40)	3.4
STEC/VTEC infection				0	2 (11)	2.0
Salmonellosis	1	7 (8)	86.2	9	103 (161)	31.8
Shigellosis		4 (2)	64.0	1	12 (19)	4.8
Typhoid				0	0 (1)	0.1
Vibrio parahaemolyticus				0	0 (2)	0.1
Yersiniosis				0	1 (1)	0.2
Sexually transmissible infections						
Chlamydia (genital)		34 (34)	541.6	81	702 (829)	160.7
Gonorrhoea	1	19 (14)	467.7	13	204 (267)	57.6
Syphilis - Infectious		5 (9)	96.0	5	58 (42)	9.9
Syphilis - Non-Infectious			2.5	1	19 (14)	2.9
Vaccine preventable diseases						
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza		(62)	24.6	0	9*****	40.3
Measles				0	0 (0)	0.1
Mumps				0	1 (3)	0.3
Pertussis		(4)	7.4	2	6 (46)	3.4
Pneumococcal infection		2 (2)	14.8	0	6 (26)	1.5
Varicella (chicken pox)		(1)	7.4	3	21 (33)	5.7
Varicella (shingles)		1 (1)	49.2	6	128 (176)	32.8
Varicella (unspecified)				22	105 (110)	20.3
Vector-borne diseases						
Barmah Forest virus			7.4	0	3 (1)	0.4
Chikungunya				0	0 (0)	0.2
Dengue fever			2.5	0	0 (33)	2.2
Malaria				0	0 (7)	0.8
Ross River virus		(1)	61.5	2	25 (37)	5.3
Typhus			2.5	0	2 (3)	0.5
Zoonotic diseases						
Leptospirosis				0	1 (0)	0.0
Q Fever				0	1 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	0 (0)	0.0
COVID-19			44.3	4	27 (0)	20.3
Creutzfeldt-Jakob disease				0	0 (0)	0.0
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.0
Legionellosis				1	11 (2)	1.1
Melioidosis			9.8	0	1 (0)	0.2
Meningococcal infection				0	0 (2)	0.1
Tuberculosis			2.5	1	9 (9)	1.2
Grand Total	3	78 (143)		197	1732 (6182)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 22	
	14/04	21/04	28/04	05/05	12/05	19/05	26/05	02/06	2020	2019
	Salmonella Total	20	85	31	40	46	25	23	9	913
Serotype/Phage										
Salmonella Adelaide									2	1
Salmonella Agona		1							4	4
Salmonella Amsterdam var 15+			1						2	0
Salmonella Anatum				1	1		1		8	14
Salmonella Anatum var 15+	1							1	4	2
Salmonella Bareilly									3	3
Salmonella Birkenhead									1	0
Salmonella Bleadon subsp II									1	1
Salmonella Bovismorbificans									5	8
Salmonella Bredeney									1	1
Salmonella Cerro			1						2	0
Salmonella Chailey									2	1
Salmonella Chester					1	1			17	10
Salmonella Choleraesuis bv Australia					1				8	8
Salmonella Choleraesuis bv Decatur				1					9	3
Salmonella Corvallis									3	3
Salmonella Derby									1	2
Salmonella Dublin									1	0
Salmonella Eastbourne									1	2
Salmonella Enteritidis		1							43	85
Salmonella Fremantle subsp II				1					3	3
Salmonella Give				1			1		2	0
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana					1				2	7
Salmonella Hessarek									1	0
Salmonella Hvittingfoss									1	3
Salmonella Ibadan									2	0
Salmonella Infantis					3				15	12
Salmonella Jangwani									1	0
Salmonella Javiana									2	6
Salmonella Johannesburg									1	0
Salmonella Kentucky									3	10
Salmonella Kiambu				1					1	3
Salmonella Kottbus		1						1	3	1
Salmonella Lansing					1				1	1
Salmonella Litchfield				1					4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	1
Salmonella Mississippi									1	1
Salmonella Montevideo									1	1
Salmonella Muenchen									19	12
Salmonella Newport		1							8	14
Salmonella Oranienburg			1						3	4
Salmonella Orientalis									1	1
Salmonella Orion			1						1	0
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java									21	45

Weekly Report for period 08-APR-20 to 02-JUN-20

	14/04	21/04	28/04	05/05	12/05	19/05	26/05	02/06	Cumulative Total to end of Week 22	
									2020	2019
Salmonella Total	20	85	31	40	46	25	23	9	913	972
Serotype/Phage										
Salmonella Pomona									0	0
Salmonella Poona									1	3
Salmonella Potsdam			2						8	2
Salmonella Reading									2	6
Salmonella Richmond									0	0
Salmonella Rissen		1							3	3
Salmonella Rubislaw									1	0
Salmonella Saintpaul			1	1	1	2			24	24
Salmonella Schwarzengrund									1	4
Salmonella Senftenberg									1	2
Salmonella Singapore									2	2
Salmonella Stanley					1				7	15
Salmonella Thompson									3	2
Salmonella Typhimurium	14	77	23	31	35	21	8		538	544
Salmonella Virchow	2								15	13
Salmonella Wandsbek subsp II			1				1		4	3
Salmonella Wandsworth							1		1	0
Salmonella Waycross									1	0
Salmonella Welikade									3	2
Salmonella Weltevreden									5	9
Salmonella Weltevreden var 15+									1	1
Salmonella Zanzibar									1	0
Salmonella species	3	3		2	1	1	9	9	65	56
Salmonella subsp 1 ser 4,5:d:-									1	1
Salmonella subsp I ser 16:l,v:-									1	0
Salmonella subsp I ser 4,5:-:- non-motile									0	1
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0