



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 24-JUN-20 to 18-AUG-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 33			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	30/06	07/07	14/07	21/07	28/07	04/08	11/08	18/08	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				2			1	1	11	16	16	2	1.6	1.3
Hepatitis B (unspecified)	14	16	16	12	14	10	11	8	330	281	300	43	42.1	1.0
Hepatitis C (newly acquired)	3	3	2	2	2	1	2	1	66	71	71	6	10.4	0.6
Hepatitis C (unspecified)	14	21	13	18	17	17	19	16	509	583	579	69	74.3	0.9
Hepatitis D						1	1		2	7	6	2	0.3	7.5
Enteric diseases														
Campylobacteriosis	44	52	36	43	54	50	40	29	1598	2072	2029	173	268.7	0.6
Cryptosporidiosis	2	2	1	1				1	465	123	78	1	10.1	0.1
Hepatitis A									6	19	6	0	1.1	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis				2					3	6	7	0	0.7	0.0
Paratyphoid fever									0	6	4	0	0.4	0.0
Rotavirus	3	5	4	4	8	3	4	1	142	309	189	16	40.6	0.4
STEC/VTEC infection	1	2	2	1		1	2	2	76	97	50	5	4.5	1.1
Salmonellosis	30	25	30	36	19	23	12	14	1244	1362	1479	68	123.2	0.6
Shigellosis	2	2	4	2	3	2	3		170	266	178	8	15.5	0.5
Typhoid									3	13	9	0	0.9	0.0
Vibrio parahaemolyticus									2	15	10	0	0.5	0.0
Yersiniosis						1		2	11	15	8	3	2.0	1.5
Sexually transmissible infections														
Chlamydia (genital)	215	213	213	211	182	197	208	156	6938	7592	7502	743	871.8	0.9
Gonorrhoea	71	58	56	82	48	72	53	29	2401	2619	2114	202	248.6	0.8
Syphilis (congenital)									1	1	0	0	0.0	0.0
Syphilis - Infectious	17	25	8	11	11	18	15	13	456	374	246	57	29.9	1.9
Syphilis - Non-Infectious	6	2	4	1	4	5	7	3	137	147	153	19	11.1	1.7
Vaccine preventable diseases														
H. influenzae type b									1	2	1	0	0.1	0.0
Influenza	6		2	2	3	2	1	3	1198	21973	2907	9	1465.1	0.0
Measles									4	25	26	0	2.1	0.0
Mumps									9	17	18	0	12.3	0.0
Pertussis		1	1	4	3		1	3	113	388	862	7	119.3	0.1
Pneumococcal infection	8	4	4	7	6	4	2	2	99	153	125	14	27.1	0.5
Varicella (chicken pox)	12	4	15	14	9	13	11	3	295	408	398	36	58.2	0.6
Varicella (shingles)	39	49	46	57	43	45	37	17	1508	1393	1458	142	144.9	1.0
Varicella (unspecified)	25	26	35	42	45	51	51	62	1024	904	990	209	109.7	1.9
Vector-borne diseases														
Barmah Forest virus				2					15	10	29	0	1.8	0.0
Chikungunya					1				7	5	0	1	0.8	1.3
Dengue fever									62	235	85	0	20.7	0.0
Malaria			2						27	41	27	0	4.6	0.0
Ross River virus	4		3	1	3		1		186	287	357	4	28.8	0.1
Typhus					1				16	17	13	1	2.1	0.5
Zoonotic diseases														
Leptospirosis									1	3	2	0	0.3	0.0
Q Fever									4	6	8	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulon									1	6	18	0	0.3	0.0
COVID-19	2	19	18	2	5	1	3	6	680	0	0	15	0.0	0.0
Creutzfeldt-Jakob disease									3	4	5	0	0.5	0.0
Haemolytic Uraemic Syndrome			1						4	1	1	0	0.1	0.0
Legionellosis	4	1		2	1				48	19	25	1	3.7	0.3
Leprosy							1		1	0	0	1	0.4	2.5
Melioidosis		1							5	4	4	0	0.3	0.0
Meningococcal infection	1	1							7	14	18	0	3.2	0.0
Tuberculosis	4		5	4	3	2	5	3	81	76	71	13	11.2	1.2
Grand Total	527	532	521	563	485	519	492	374						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 33			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	30/06	07/07	14/07	21/07	28/07	04/08	11/08	18/08	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1			1		7	11	12	1	1.3	0.8
Hepatitis B (unspecified)	9	14	13	10	11	8	9	7	278	243	246	35	35.8	1.0
Hepatitis C (newly acquired)	2	3	1		2	1	1	1	50	50	56	5	7.6	0.7
Hepatitis C (unspecified)	11	14	8	14	15	11	11	13	361	401	423	50	53.0	0.9
Hepatitis D							1		1	7	5	1	0.3	3.8
Enteric diseases														
Campylobacteriosis	35	44	26	34	46	37	28	27	1282	1683	1602	138	212.6	0.6
Cryptosporidiosis	2	2	1	1			1		406	67	38	1	7.7	0.1
Hepatitis A									5	17	5	0	0.9	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis				2					2	6	4	0	0.6	0.0
Paratyphoid fever									0	6	4	0	0.4	0.0
Rotavirus	3	4	4	4	4	1	3	1	111	263	126	9	28.9	0.3
STEC/VTEC infection		1					2	2	57	75	41	4	3.8	1.1
Salmonellosis	23	20	21	25	14	20	9	12	946	1058	1131	55	95.0	0.6
Shigellosis		1		1	1	2	1		82	185	72	4	9.3	0.4
Typhoid									3	12	9	0	0.7	0.0
Vibrio parahaemolyticus									2	11	9	0	0.4	0.0
Yersiniosis						1	2		10	14	7	3	1.7	1.7
Sexually transmissible infections														
Chlamydia (genital)	167	161	171	171	137	149	154	122	5387	5954	5839	562	667.9	0.8
Gonorrhoea	46	36	37	54	36	58	34	21	1664	1915	1374	149	167.6	0.9
Syphilis (congenital)									1	0	0	0	0.0	0.0
Syphilis - Infectious	10	20	6	6	9	14	10	12	304	201	183	45	20.0	2.3
Syphilis - Non-Infectious	5	2	2	1	2	5	5	1	114	93	113	13	8.0	1.6
Vaccine preventable diseases														
Influenza	3		2	2	2	2		2	959	17376	2453	6	1153.9	0.0
Measles									4	15	25	0	1.7	0.0
Mumps									6	12	17	0	1.5	0.0
Pertussis		1	1	3	2		1	3	91	311	571	6	88.9	0.1
Pneumococcal infection	1	2	1	1	1	1	1	1	32	93	71	4	16.8	0.2
Varicella (chicken pox)	9	3	12	9	8	10	10	3	215	302	289	31	42.6	0.7
Varicella (shingles)	31	37	36	40	29	30	27	10	1094	990	1025	96	104.3	0.9
Varicella (unspecified)	23	24	34	38	40	50	42	59	959	863	961	191	101.8	1.9
Vector-borne diseases														
Barmah Forest virus									3	3	6	0	0.5	0.0
Chikungunya					1				3	5	0	1	0.6	1.7
Dengue fever									48	191	71	0	16.7	0.0
Malaria			2						21	35	25	0	3.7	0.0
Ross River virus	3		2		1		1		104	194	252	2	18.4	0.1
Typhus									8	10	8	0	1.3	0.0
Zoonotic diseases														
Leptospirosis									0	2	2	0	0.2	0.0
Q Fever									2	2	3	0	0.5	0.0
Other diseases														
COVID-19	2	11	11	1	3	1	2	6	443	0	0	12	0.0	0.0
Creutzfeldt-Jakob disease									3	3	3	0	0.5	0.0
Legionellosis	4			2	1				30	16	19	1	2.5	0.4
Leprosy							1		1	0	0	1	0.3	3.8
Meningococcal infection		1							3	5	12	0	2.1	0.0
Tuberculosis	4		5	4	1	2	4	3	71	68	57	10	10.3	1.0
Grand Total	393	401	396	424	366	403	359	308						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(1)	0.3		1	0.3			0.4
Hepatitis B (unspecified)		9 (10)	10.4	4	14 (5)	11.4	3	12 (14)	14.5
Hepatitis C (newly acquired)		1 (2)	1.0	1	1 (2)	2.4		3 (3)	3.1
Hepatitis C (unspecified)	5	11 (9)	8.9	4	15 (17)	18.7	4	24 (26)	19.9
Hepatitis D								1	0.1
Enteric diseases									
Campylobacteriosis	7	50 (90)	56.1	8	41 (77)	57.5	12	47 (90)	54.3
Cryptosporidiosis		1 (4)	26.2		(2)	13.1		(4)	13.2
Hepatitis A			0.1			0.1		(1)	0.4
Hepatitis E			0.3						0.1
Listeriosis			0.3						
Rotavirus	1	3 (17)	5.3		3 (13)	3.9		3 (17)	5.3
STEC/VTEC infection		(3)	2.9	2	4 (2)	1.5		(3)	3.0
Salmonellosis	3	13 (32)	43.5	4	17 (31)	37.5	5	25 (37)	42.4
Shigellosis		4 (13)	3.6		(7)	3.3		(7)	3.7
Typhoid			0.1			0.1			0.1
Vibrio parahaemolyticus						0.3			
Yersiniosis		(4)	0.4	1	2 (4)	0.7	1	1 (2)	0.3
Sexually transmissible infections									
Chlamydia (genital)	38	179 (261)	204.5	42	172 (230)	244.3	42	211 (259)	255.6
Gonorrhoea	6	44 (59)	57.3	2	42 (72)	74.5	13	63 (99)	85.5
Syphilis (congenital)									0.1
Syphilis - Infectious	2	15 (8)	11.5	1	11 (6)	11.1	9	19 (14)	16.7
Syphilis - Non-Infectious		6 (2)	4.8		(3)	2.9	1	7 (2)	6.9
Vaccine preventable diseases									
H. influenzae type b									
Influenza	1	1 (311)	47.1		(324)	38.3	1	5 (344)	39.7
Measles			0.3			0.3			
Mumps			0.5		(1)	0.1		(1)	0.1
Pertussis	2	3 (7)	4.1	1	2 (11)	5.4		1 (6)	2.3
Pneumococcal infection	1	1 (1)	1.8		(6)	1.1		3 (7)	1.3
Varicella (chicken pox)	1	12 (16)	9.4		12 (20)	10.4	2	7 (23)	8.4
Varicella (shingles)	4	41 (41)	50.9	3	30 (44)	52.9	3	25 (38)	39.6
Varicella (unspecified)	17	63 (34)	41.4	26	72 (32)	50.7	16	56 (23)	34.1
Vector-borne diseases									
Barmah Forest virus						0.3		(1)	0.1
Chikungunya						0.1		1	0.3
Dengue fever		(6)	1.9		(8)	2.2		(7)	2.2
Malaria		(1)	0.6		(1)	0.6		(1)	1.5
Ross River virus		(7)	2.0		1 (5)	9.3		1 (3)	2.7
Typhus		(1)	0.4		(1)	0.3			0.4
Zoonotic diseases									
Leptospirosis									
Q Fever									0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		3	20.2	2	4	20.8	4	5	17.1
Creutzfeldt-Jakob disease			0.1						0.3
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	1.4		1	1.3			1.3
Leprosy		1	0.1						
Melioidosis									
Meningococcal infection									0.4
Tuberculosis	1	2 (2)	3.1	1	4 (4)	2.9	1	4 (6)	3.2
Grand Total	89	463 (943)		102	449 (928)		117	524 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)			3.1					1 (1)	11.3
Hepatitis C (newly acquired)			3.1		(2)	3.1		1	2.5
Hepatitis C (unspecified)	2	6 (5)	24.5		3 (3)	34.5		1 (3)	23.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis		11 (23)	61.3	1	4 (8)	45.5	1	6 (7)	57.8
Cryptosporidiosis			12.3			6.3			6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus		1 (1)	5.6		1	1.6		(1)	6.3
STEC/VTEC infection			3.6		(1)	3.1		(1)	2.5
Salmonellosis	1	6 (12)	49.0		(3)	22.0		2 (2)	40.2
Shigellosis		1 (1)	0.5		(1)	3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	10	49 (42)	194.0		7 (19)	155.3	4	14 (12)	110.6
Gonorrhoea		5 (12)	51.6		2 (10)	20.4		(1)	26.4
Syphilis (congenital)									
Syphilis - Infectious			7.7		2 (1)	7.8		1 (1)	2.5
Syphilis - Non-Infectious	1	1	1.5					1	2.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza	1	2 (65)	29.1		(32)	43.9		(20)	30.2
Measles									
Mumps									
Pertussis		(1)	6.6			1.6			
Pneumococcal infection	1	1 (3)	2.0			1.6		1	7.5
Varicella (chicken pox)			13.8		(2)	6.3		2 (5)	7.5
Varicella (shingles)	7	21 (20)	103.1		6 (9)	89.4		7 (1)	44.0
Varicella (unspecified)		2	1.0	1	7 (3)	34.5	1	1 (3)	11.3
Vector-borne diseases									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever			1.0					(1)	2.5
Malaria			0.5						
Ross River virus		1 (4)	10.2		1 (1)	11.0			6.3
Typhus		1	1.0		(1)	1.6		(1)	2.5
Zoonotic diseases									
Leptospirosis			0.5						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			8.7			11.0			13.8
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			0.5			1.6			
Legionellosis			3.6			1.6			5.0
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis									
Grand Total	23	108 (189)		2	33 (96)		6	38 (60)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.4				1	1	1.4
Hepatitis B (unspecified)		(1)	7.0	2 (3)		13.1		2 (1)	12.8
Hepatitis C (newly acquired)			2.8	(2)		3.3		(1)	2.8
Hepatitis C (unspecified)		6 (7)	29.5	1 (5)		27.8		1	17.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis		3 (6)	51.9	7 (4)		50.7		4 (7)	34.1
Cryptosporidiosis			7.0						27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		2 (9)	5.6			3.3		3 (3)	7.1
STEC/VTEC infection		1	11.2						
Salmonellosis		3 (2)	42.1	(1)		32.7		1 (2)	66.8
Shigellosis		2 (1)	37.9	(2)		9.8			18.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	2	19 (11)	248.5	3	14 (23)	307.4	2	27 (30)	280.0
Gonorrhoea	1	7 (7)	88.4	2	5 (6)	125.9	1	10 (21)	203.2
Syphilis (congenital)									
Syphilis - Infectious		1 (1)	9.8		1 (1)	18.0		1 (11)	59.7
Syphilis - Non-Infectious		(1)	1.4	1	1 (5)	11.4		2 (1)	7.1
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(71)	63.2	(14)		32.7		(30)	37.0
Measles									
Mumps						1.6			2.8
Pertussis		(1)	2.8	1		3.3			1.4
Pneumococcal infection		1 (2)	16.8	4 (3)		29.4		1 (1)	9.9
Varicella (chicken pox)		(3)	7.0	3 (1)		29.4		(1)	15.6
Varicella (shingles)		(4)	25.3	5 (4)		57.2		(2)	29.8
Varicella (unspecified)		5 (2)	32.3				1	3	4.3
Vector-borne diseases									
Barmah Forest virus						1.6			1.4
Chikungunya									
Dengue fever		(1)	1.4			6.5			1.4
Malaria						1.6			
Ross River virus		(1)	5.6	(1)		4.9		(1)	21.3
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever			2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			1.4						
Legionellosis			2.8			4.9			1.4
Leprosy									
Melioidosis									
Meningococcal infection			1.4			1.6			1.4
Tuberculosis									1.4
Grand Total	3	50 (131)		6	44 (75)		5	56 (112)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	2 (1)	0.4
Hepatitis B (unspecified)	1	3 (1)	32.0	8	43 (37)	11.6
Hepatitis C (newly acquired)				1	6 (13)	2.3
Hepatitis C (unspecified)	1	1	19.7	16	69 (75)	17.7
Hepatitis D		1	2.5	0	2 (0)	0.1
Enteric diseases						
Campylobacteriosis		(1)	46.8	29	173 (319)	55.6
Cryptosporidiosis			2.5	0	1 (10)	16.2
Hepatitis A				0	0 (1)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (1)	0.1
Rotavirus			2.5	1	16 (62)	4.9
STEC/VTEC infection				2	5 (10)	2.6
Salmonellosis		(4)	103.4	14	68 (127)	43.3
Shigellosis		1 (1)	86.2	0	8 (36)	5.9
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				2	3 (10)	0.4
Sexually transmissible infections						
Chlamydia (genital)	8	37 (44)	851.7	156	743 (939)	241.3
Gonorrhoea	3	21 (26)	713.9	29	202 (316)	83.5
Syphilis (congenital)				0	0 (0)	0.0
Syphilis - Infectious	1	6 (10)	145.2	13	57 (53)	15.9
Syphilis - Non-Infectious		(2)	2.5	3	19 (17)	4.5
Vaccine preventable diseases						
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza		1 (30)	29.5	3	9*****	41.7
Measles				0	0 (0)	0.1
Mumps				0	0 (3)	0.3
Pertussis		(1)	7.4	3	7 (27)	3.9
Pneumococcal infection		2 (2)	41.8	2	14 (26)	3.4
Varicella (chicken pox)			12.3	3	36 (71)	10.3
Varicella (shingles)		5 (5)	78.8	17	142 (174)	52.4
Varicella (unspecified)				62	209 (98)	35.6
Vector-borne diseases						
Barmah Forest virus		(1)	14.8	0	0 (2)	0.5
Chikungunya				0	1 (3)	0.2
Dengue fever		(1)	2.5	0	0 (27)	2.2
Malaria				0	0 (3)	0.9
Ross River virus			64.0	0	4 (23)	6.5
Typhus			2.5	0	1 (5)	0.6
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	0 (1)	0.0
COVID-19			49.2	6	15 (0)	23.6
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				0	1 (1)	1.7
Leprosy				0	1 (0)	0.0
Melioidosis			12.3	0	0 (0)	0.2
Meningococcal infection				0	0 (1)	0.2
Tuberculosis		1	4.9	3	13 (12)	2.1
Grand Total	14	79 (129)		374	1870 (3761)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

Serotype/Phage	Week Ending								Cumulative Total to end of Week 33	
	30/06	07/07	14/07	21/07	28/07	04/08	11/08	18/08	2020	2019
	Salmonella Total	30	25	30	36	19	23	12	14	1244
Salmonella Adelaide	1								3	1
Salmonella Agona						1			5	6
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum			1	3					13	17
Salmonella Anatum var 15+									4	2
Salmonella Bahrenfeld									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									2	0
Salmonella Bleadon subsp II									1	1
Salmonella Bovismorbificans			1		1				7	11
Salmonella Bredeney									1	1
Salmonella Cerro									2	0
Salmonella Chailey									2	1
Salmonella Charity				1					1	0
Salmonella Chester					1	1			21	14
Salmonella Choleraesuis bv Australia	3								13	9
Salmonella Choleraesuis bv Decatur								1	10	3
Salmonella Corvallis									3	5
Salmonella Derby									1	3
Salmonella Dublin									1	0
Salmonella Eastbourne									1	4
Salmonella Enteritidis			1	1					45	128
Salmonella Fremantle subsp II									3	4
Salmonella Give			1						3	2
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana									3	7
Salmonella Hessarek									1	0
Salmonella Houten subsp IV					1				1	2
Salmonella Hvittingfoss	1								4	4
Salmonella Ibadan									2	0
Salmonella Infantis				2		1	1		21	16
Salmonella Jangwani									1	0
Salmonella Javiana									3	10
Salmonella Johannesburg									1	1
Salmonella Kentucky									3	13
Salmonella Kiambu				1					2	4
Salmonella Kottbus									3	1
Salmonella Lansing								1	2	1
Salmonella Litchfield									4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	4
Salmonella Mississippi									1	1
Salmonella Montevideo									1	2
Salmonella Muenchen	1								21	25
Salmonella Newport						1			10	20
Salmonella Oranienburg									3	6
Salmonella Orientalis									2	1
Salmonella Orion									2	0

Weekly Report for period 24-JUN-20 to 18-AUG-20

	30/06	07/07	14/07	21/07	28/07	04/08	11/08	18/08	Cumulative Total to end of Week 33	
									2020	2019
Salmonella Total	30	25	30	36	19	23	12	14	1244	1321
Serotype/Phage										
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java	1								22	57
Salmonella Pomona									0	0
Salmonella Poona									1	3
Salmonella Potsdam	1								9	4
Salmonella Reading									2	7
Salmonella Richmond			1						1	0
Salmonella Rissen									4	4
Salmonella Rubislaw									1	0
Salmonella Saintpaul	1	1		2		3			34	29
Salmonella Schwarzengrund	1								2	5
Salmonella Senftenberg							1		3	3
Salmonella Singapore									3	2
Salmonella Stanley									8	28
Salmonella Thompson									3	3
Salmonella Typhimurium	18	22	20	23	15	14	10	7	794	704
Salmonella Urbana		1							1	2
Salmonella Virchow			1			1			17	21
Salmonella Wandsbek subsp II									4	3
Salmonella Wandsworth									1	0
Salmonella Waycross		1							2	0
Salmonella Welikade				1					4	3
Salmonella Weltevreden									6	11
Salmonella Weltevreden var 15+									1	2
Salmonella Zanzibar									1	0
Salmonella species	1		4	2	1	1		5	66	76
Salmonella subsp 1 ser 4,5:d:-									1	11
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp I ser 4,5:-: non-motile	1								2	2
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0
Salmonella subsp IIIb ser									1	0