



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 08-JAN-25 to 04-MAR-25

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 9			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2025	2024	2023			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)									1	7	4	1	1.0	1.0
Hepatitis B (unspecified)	9	9	14	8	10	14	12	10	98	83	78	46	35.9	1.3
Hepatitis C (newly acquired)	3		2	2	3	1	1		15	27	15	5	8.1	0.6
Hepatitis C (re-infection newly acquired)			1						1	3	1	0	0.5	0.0
Hepatitis C (unspecified)	9	12	20	17	14	24	17	17	140	127	151	72	66.7	1.1
Hepatitis D		1		1				1	3	4	1	1	0.6	1.7
Enteric diseases														
Campylobacteriosis	99	99	81	85	77	75	62	42	728	906	1008	256	301.9	0.8
Cholera					1				1	0	0	1	0.0	0.0
Cryptosporidiosis	22	22	36	52	79	59	70	28	393	140	44	236	54.1	4.4
Hepatitis A				2	2			1	6	5	5	3	1.4	2.1
Listeriosis	1			1					2	0	1	0	0.4	0.0
Paratyphoid fever			2	1		1			4	0	6	1	0.5	2.1
Rotavirus	9	12	8	9	7	6	2		66	142	249	15	47.2	0.3
STEC/VTEC infection	3	2	2	5	2	1	4	3	29	52	76	10	18.5	0.5
Salmonellosis	34	32	36	33	38	28	29	21	281	291	375	116	144.9	0.8
Shigellosis	15	18	15	16	11	15	4	1	107	91	96	31	25.2	1.2
Typhoid		1		3	1	1			7	4	9	2	1.7	1.2
Vibrio parahaemolyticus	1				1	1			3	7	2	2	0.9	2.3
Yersiniosis	3	3	3	3	5	4	2	1	26	12	23	12	4.5	2.7
Sexually transmissible infections														
Chlamydia (genital)	305	278	225	254	269	264	265	118	2197	2394	2336	916	969.7	0.9
Gonorrhoea	123	102	103	100	93	100	109	37	866	1000	766	339	311.4	1.1
Syphilis - Infectious	18	15	11	17	14	12	13	7	122	121	139	46	60.3	0.8
Syphilis - Non-Infectious	5	3	4	1	3	4	2		22	47	40	9	18.8	0.5
Vaccine preventable diseases														
Diphtheria		1		1					2	0	1	0	0.1	0.0
Influenza	345	251	237	329	363	413	398	230	2808	1161	905	1404	282.9	5.0
Measles				1					1	1	0	0	0.3	0.0
Mumps	1	1							3	3	1	0	0.8	0.0
Pertussis	57	48	34	32	33	28	20	11	327	58	9	92	12.3	7.5
Pneumococcal infection	2	2	1	2	1		1	1	15	24	24	3	9.7	0.3
Varicella (chicken pox)	11	15	5	13	11	14	4	1	87	70	76	30	32.8	0.9
Varicella (shingles)	52	58	46	54	54	36	22	7	375	426	477	119	207.0	0.6
Varicella (unspecified)	51	54	57	60	62	54	64	31	486	444	448	211	171.9	1.2
Vector-borne diseases														
Barmah Forest virus				1	2	1			4	4	5	3	2.2	1.4
Chikungunya		1		1			1		3	3	4	1	1.0	1.0
Dengue fever	24	13	12	20	14	8	6		111	68	34	28	13.7	2.0
Malaria			1	1		1	1		4	11	13	2	3.9	0.5
Murray Valley encephalitis virus			1	1					2	0	1	0	0.1	0.0
Ross River virus	8	9	4	5	8	15	5	2	66	74	47	30	53.5	0.6
Typhus		2	1	1					4	8	6	0	2.1	0.0
Zoonotic diseases														
Q Fever	1					1			2	0	2	1	0.4	2.5
Other diseases														
Acute post-streptococcal glomerulonephritis			1					1	5	8	1	1	1.3	0.8
COVID-19							1		1	0	0	1	7058.5	0.0
Creutzfeldt-Jakob disease									0	1	1	0	0.3	0.0
Legionellosis		1	1	2	1				6	12	10	1	3.9	0.3
Leprosy	1	1							2	0	0	0	0.0	0.0
Melioidosis									1	3	1	0	0.7	0.0
Meningococcal infection			1		1				2	0	1	1	0.6	1.7
Monkeypox virus	4	1		1					10	0	1	0	0.1	0.0
RSV	56	58	52	65	76	78	73	35	565	372	288	262	139.3	1.9
Tuberculosis	5	5	3	6	6	3	3	6	40	29	17	18	11.5	1.6
iGAS	6	3	5	3	4	2	3		32	38	36	9	8.9	1.0
Grand Total	1283	1133	1025	1209	1266	1264	1196	611						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 9			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2025	2024	2023			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)							1		1	5	1	1	0.6	1.7
Hepatitis B (unspecified)	9	8	13	7	9	10	9	9	85	66	65	37	28.9	1.3
Hepatitis C (newly acquired)	3			2	3	1	1		12	20	13	5	6.7	0.7
Hepatitis C (unspecified)	6	11	16	16	8	19	12	13	107	87	114	52	49.0	1.1
Hepatitis D		1		1			1		3	4	1	1	0.6	1.7
Enteric diseases														
Campylobacteriosis	88	80	64	69	67	62	43	35	596	712	806	207	240.4	0.9
Cholera					1				1	0	0	1	0.0	0.0
Cryptosporidiosis	18	16	33	46	71	52	59	23	339	120	22	205	45.3	4.5
Hepatitis A				2	2			1	6	4	5	3	1.3	2.4
Listeriosis	1			1					2	0	1	0	0.3	0.0
Paratyphoid fever			2	1					3	0	5	0	0.4	0.0
Rotavirus	9	11	7	8	7	6	2		61	131	229	15	42.5	0.4
STEC/VTEC infection		1		3	2		2	2	13	28	47	6	12.0	0.5
Salmonellosis	21	26	26	24	30	19	21	17	208	218	290	87	108.4	0.8
Shigellosis	10	14	11	15	9	13	2		84	72	75	24	16.3	1.5
Typhoid		1		3	1	1			7	4	9	2	1.5	1.3
Vibrio parahaemolyticus	1				1	1			3	6	2	2	0.8	2.5
Yersiniosis	3	3	3	3	5	4	2	1	26	10	18	12	3.7	3.3
Sexually transmissible infections														
Chlamydia (genital)	239	214	173	181	212	218	194	85	1685	1883	1849	709	762.6	0.9
Gonorrhoea	85	74	63	71	69	79	84	23	612	749	558	255	216.3	1.2
Syphilis - Infectious	15	10	9	7	10	9	10	6	87	79	86	35	36.9	0.9
Syphilis - Non-Infectious	5	1	2	1	2	3			14	23	25	5	12.9	0.4
Vaccine preventable diseases														
Diphtheria									0	0	1	0	0.1	0.0
Influenza	306	224	196	256	213	220	225	137	1988	934	662	795	206.9	3.8
Measles				1					1	1	0	0	0.3	0.0
Mumps	1								2	2	1	0	0.5	0.0
Pertussis	38	27	27	23	25	23	17	8	230	31	9	73	7.7	9.4
Pneumococcal infection	1	1		1				1	5	14	15	1	4.9	0.2
Varicella (chicken pox)	6	11	3	9	9	8	4	1	61	56	61	22	24.3	0.9
Varicella (shingles)	37	40	28	29	34	21	10	6	235	285	307	71	141.1	0.5
Varicella (unspecified)	51	51	55	60	59	52	56	27	463	426	428	194	164.9	1.2
Vector-borne diseases														
Barmah Forest virus				1	1	1			3	2	2	2	0.3	6.0
Chikungunya		1					1		2	3	4	1	0.7	1.4
Dengue fever	18	10	11	15	11	6	4		87	51	26	21	10.1	2.1
Malaria			1	1			1		3	9	11	1	3.1	0.3
Ross River virus	5	5	3	3	6	8	2	2	40	21	20	18	29.6	0.6
Typhus		1	1						2	4	4	0	1.1	0.0
Zoonotic diseases														
Q Fever	1								1	0	1	0	0.1	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis									2	6	0	0	0.4	0.0
Legionellosis				2					2	9	9	0	2.8	0.0
Leprosy	1								1	0	0	0	0.0	0.0
Melioidosis									1	1	0	0	0.1	0.0
Meningococcal infection			1		1				2	0	1	1	0.3	3.8
Monkeypox virus	4	1		1					10	0	0	0	0.0	0.0
RSV	30	39	35	54	67	62	49	27	412	264	200	205	87.4	2.3
Tuberculosis	5	5	2	6	6	3	2	6	38	20	16	17	10.2	1.7
iGAS	3	2	2	2	1		2		16	23	26	3	5.3	0.6
Grand Total	1020	889	787	925	942	901	816	430						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1							
Hepatitis B (unspecified)	1	8 (8)		2	10 (13)		6	19 (16)	
Hepatitis C (newly acquired)		1 (2)			2 (1)			2 (7)	
Hepatitis C (re-infection newly acquired)									
Hepatitis C (unspecified)	4	10 (9)		4	19 (18)		5	23 (17)	
Hepatitis D		1						(2)	
Enteric diseases									
Campylobacteriosis	14	68 (82)		9	62 (90)		12	77 (92)	
Cholera		1							
Cryptosporidiosis	12	93 (30)		6	51 (9)		5	61 (27)	
Hepatitis A					(1)		1	3 (1)	
Listeriosis									
Paratyphoid fever									
Rotavirus		7 (12)			6 (24)			2 (23)	
STEC/VTEC infection	2	4 (3)			1 (3)			1 (3)	
Salmonellosis	4	26 (44)		6	31 (26)		7	30 (33)	
Shigellosis		9 (8)			5 (7)			10 (22)	
Typhoid					1			1 (1)	
Vibrio parahaemolyticus		(1)			2 (1)				
Yersiniosis	1	5 (4)			5 (2)			2	
Sexually transmissible infections									
Chlamydia (genital)	26	231 (257)		20	224 (270)		39	254 (311)	
Gonorrhoea	8	67 (84)		3	70 (86)		12	118 (152)	
Syphilis - Infectious	3	7 (10)		1	11 (16)		2	17 (18)	
Syphilis - Non-Infectious		3 (2)			(5)			2 (7)	
Vaccine preventable diseases									
Diphtheria									
Influenza	38	268 (172)		37	245 (106)		62	282 (127)	
Measles									
Mumps									
Pertussis	5	30 (4)		2	22 (4)		1	21 (10)	
Pneumococcal infection	1	1 (3)			(2)			(4)	
Varicella (chicken pox)		6 (17)			3 (6)		1	13 (7)	
Varicella (shingles)		26 (44)		2	19 (31)		4	26 (37)	
Varicella (unspecified)	8	64 (70)		7	60 (53)		12	70 (65)	
Vector-borne diseases									
Barmah Forest virus		1			1				
Chikungunya								1 (1)	
Dengue fever		5 (9)			6 (5)			10 (5)	
Malaria		1 (1)						(3)	
Murray Valley encephalitis virus									
Ross River virus		3 (1)		1	11 (5)		1	4 (1)	
Typhus		(1)			(2)				
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)								(3)	
COVID-19									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection					1				
Monkeypox virus									
RSV	13	77 (73)		6	55 (25)		8	73 (30)	
Tuberculosis	2	5 (1)		1	3 (5)		3	9 (4)	
iGAS		2 (4)			1 (3)			(4)	
Grand Total	142	1031 (956)		107	927 (819)		181	1131 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2 (2)			1 (1)				
Hepatitis C (newly acquired)					(1)				
Hepatitis C (re-infection newly acquired)					4 (4)				
Hepatitis C (unspecified)	1	3 (8)					1 (1)		
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	24 (32)		1	7 (11)			3 (10)	
Cholera									
Cryptosporidiosis	1	7 (4)		1	1 (2)			2 (2)	
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(1)							
STEC/VTEC infection	1	2 (4)						(1)	
Salmonellosis	2	6 (11)		1	6 (2)			3 (3)	
Shigellosis								1 (1)	
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	2	42 (45)		4	8 (16)		1	12 (16)	
Gonorrhoea	2	14 (11)					1	3 (6)	
Syphilis - Infectious		1 (1)			1 (3)			(2)	
Syphilis - Non-Infectious		2 (2)							
Vaccine preventable diseases									
Diphtheria									
Influenza	8	50 (35)		2	12 (19)		7	14 (5)	
Measles									
Mumps									
Pertussis	1	8 (4)			1		1	1 (2)	
Pneumococcal infection		(1)							
Varicella (chicken pox)		1 (1)			(4)			2	
Varicella (shingles)	1	26 (37)			5 (8)			5 (7)	
Varicella (unspecified)					1		1	4 (1)	
Vector-borne diseases									
Barmah Forest virus									
Chikungunya									
Dengue fever		3 (2)			(2)			1	
Malaria									
Murray Valley encephalitis virus									
Ross River virus		7 (6)			(1)			1 (1)	
Typhus									
Zoonotic diseases									
Q Fever		1							
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1							
Legionellosis					1				
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	1	5 (6)		1	2			1 (1)	
Tuberculosis									
iGAS		1 (1)						(1)	
Grand Total	23	206 (214)		10	50 (74)		11	54 (60)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1 (1)			1 (3)				
Hepatitis C (newly acquired)									
Hepatitis C (re-infection newly acquired)									
Hepatitis C (unspecified)		4 (1)		1	2 (4)		1	3 (3)	
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	7 (7)			1 (4)			3 (6)	
Cholera									
Cryptosporidiosis		7					2	6	
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus					(1)			(1)	
STEC/VTEC infection		1 (1)						(1)	
Salmonellosis		3 (3)			(3)			7 (5)	
Shigellosis		1 (3)		1				(1)	
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	4	22 (17)		5	28 (28)		8	35 (42)	
Gonorrhoea		5 (9)		1	25 (22)		4	13 (12)	
Syphilis - Infectious		1 (3)			(2)			2 (6)	
Syphilis - Non-Infectious		(2)			(2)			1 (2)	
Vaccine preventable diseases									
Diphtheria									
Influenza	2	15 (8)			4 (3)		34	102 (13)	
Measles									
Mumps									
Pertussis		1		1	1 (5)			3	
Pneumococcal infection									
Varicella (chicken pox)		3 (1)			(1)			1 (2)	
Varicella (shingles)		3 (3)			6 (2)			(3)	
Varicella (unspecified)	1	7 (3)		1	1		1	3	
Vector-borne diseases									
Barmah Forest virus								1	
Chikungunya									
Dengue fever					(1)			1 (1)	
Malaria					1				
Murray Valley encephalitis virus									
Ross River virus		1							
Typhus									
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)	1	1							
COVID-19									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	4	13 (3)			1 (1)		2	9 (4)	
Tuberculosis									
iGAS		1			1			(2)	
Grand Total	13	97 (65)		9	73 (82)		52	190 (104)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (4)	0.0
Hepatitis B (unspecified)	1	3 (1)		10	46 (44)	0.0
Hepatitis C (newly acquired)				0	5 (15)	0.0
Hepatitis C (re-infection newly acquired)				0	0 (2)	0.0
Hepatitis C (unspecified)		1 (1)		17	72 (66)	0.0
Hepatitis D				0	1 (2)	0.0
Enteric diseases						
Campylobacteriosis		2 (8)		42	256 (348)	0.0
Cholera				0	1 (0)	0.0
Cryptosporidiosis		7		28	236 (75)	0.0
Hepatitis A				1	3 (2)	0.0
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	1 (0)	0.0
Rotavirus				0	15 (62)	0.0
STEC/VTEC infection		1 (1)		3	10 (17)	0.0
Salmonellosis		3 (4)		21	116 (135)	0.0
Shigellosis	1	3 (2)		1	31 (46)	0.0
Typhoid				0	2 (1)	0.0
Vibrio parahaemolyticus				0	2 (4)	0.0
Yersiniosis				1	12 (8)	0.0
Sexually transmissible infections						
Chlamydia (genital)	6	42 (57)		118	916*****	0.0
Gonorrhoea	3	20 (47)		37	339 (438)	0.0
Syphilis - Infectious	1	6 (5)		7	46 (67)	0.0
Syphilis - Non-Infectious				0	9 (25)	0.0
Vaccine preventable diseases						
Diphtheria				0	0 (0)	0.0
Influenza	37	388 (14)		230	1404 (517)	0.0
Measles				0	0 (1)	0.0
Mumps				0	0 (3)	0.0
Pertussis		4		11	92 (29)	0.0
Pneumococcal infection		1 (1)		1	3 (14)	0.0
Varicella (chicken pox)				1	30 (39)	0.0
Varicella (shingles)		2 (4)		7	119 (183)	0.0
Varicella (unspecified)				31	211 (195)	0.0
Vector-borne diseases						
Barmah Forest virus				0	3 (1)	0.0
Chikungunya				0	1 (2)	0.0
Dengue fever		1		0	28 (29)	0.0
Malaria				0	2 (5)	0.0
Murray Valley encephalitis virus				0	0 (0)	0.0
Ross River virus		3 (17)		2	30 (33)	0.0
Typhus				0	0 (4)	0.0
Zoonotic diseases						
Q Fever				0	1 (0)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				1	1 (7)	0.0
COVID-19				0	1 (0)	0.0
Legionellosis				0	1 (4)	0.0
Leprosy				0	0 (0)	0.0
Melioidosis				0	0 (1)	0.0
Meningococcal infection				0	1 (0)	0.0
Monkeypox virus				0	0 (0)	0.0
RSV		26 (49)		35	262 (198)	0.0
Tuberculosis				6	18 (17)	0.0
iGAS		3 (4)		0	9 (20)	0.0
Grand Total	49	516 (215)		611	4337 (3728)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 9	
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2025	2024
	Salmonella Total	34	32	36	33	38	28	29	21	281
Serotype/Phage										
Salmonella Aberdeen									1	0
Salmonella Adelaide						1	1		2	0
Salmonella Amsterdam		1							1	0
Salmonella Anatum									0	2
Salmonella Bareilly		1		2		1			4	1
Salmonella Bovismorbificans	1		1	1	1				4	8
Salmonella Braenderup		1				1			2	0
Salmonella Bredeney	1					1			2	0
Salmonella Cerro					1				1	1
Salmonella Chester	4		1	1	2				8	17
Salmonella Choleraesuis bv Decatur	1		1	1			1		4	2
Salmonella Corvallis						1	1		2	1
Salmonella Eastbourne			1						1	1
Salmonella Emek			1						1	0
Salmonella Enteritidis	3	2	2	6	3	2	2		24	26
Salmonella Havana					1				1	1
Salmonella Heidelberg		1	1						2	1
Salmonella Hessarek	1								1	1
Salmonella Hindmarsh				1					1	0
Salmonella Hvittingfoss		1		3					4	3
Salmonella Infantis		1	1	2	1	1	1		8	12
Salmonella Irumu					1				1	0
Salmonella Johannesburg	1		1						2	4
Salmonella Kentucky	1	1				1			5	4
Salmonella Kiambu					1				1	2
Salmonella Lansing									0	0
Salmonella Lexington				1					1	0
Salmonella Mbandaka									0	2
Salmonella Mississippi					1				1	0
Salmonella Muenchen	1			2		1			4	6
Salmonella Muenster									1	0
Salmonella Newport				2	1	1			5	3
Salmonella Ohio						1			1	0
Salmonella Oranienburg							1		1	0
Salmonella Oslo						1			1	0
Salmonella Paratyphi B bv Java	5	3	5	3	4	1			22	20
Salmonella Poona									0	0
Salmonella Potsdam	1	1		1		1			4	1
Salmonella Reading		1	1		1	1			4	0
Salmonella Rubislaw							1		1	0
Salmonella Ruiru									0	0
Salmonella Saintpaul			1			1			5	6
Salmonella Senftenberg	1	1							2	3
Salmonella Singapore							2		2	4
Salmonella Stanley	1	2		1					6	1
Salmonella Thompson	1	1			1				4	0
Salmonella Typhimurium	5	2	5	1	13	7	4		41	66
Salmonella Virchow	3	2	5	2	1	1			16	5
Salmonella Wangata		1		2					3	0

Weekly Report for period 08-JAN-25 to 04-MAR-25

	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	Cumulative Total to end of Week 9	
									2025	2024
Salmonella Total	34	32	36	33	38	28	29	21	281	257
Serotype/Phage										
Salmonella Weltevreden		1	3						6	3
Salmonella species	3	8	6	1	5	3	15	21	67	50