

Medical Entomology Quarterly Report South West Health Region: Jul – Sep 2021



Ross River virus disease case data summary

Western Australia: 2021/22


Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data collected by Population Health Units and local governments (only locations with notified cases of disease are shown in tables and figures).

Ross River virus (RRV)

Western Australia


A total of 59 cases of RRV have been reported between 1 July 2021 and 30 September 2021 in Western Australia. Of these **43** cases were notified by Doctor and follow-up data is available for **13** cases.

The number of cases was close to average for July and **significantly below** the long term average for August and September.





Serologically confirmed doctor-notified and laboratory reported cases of Ross River virus																
	dise	ase ea	ch m	onth	in W	A, Ju	ly 20	21	June	2022	#					
	‡Com	oiled by	the Me	dical	Enton	ologu	IA/A	Donor	tmont	of Ho	olth					
	Comp	опеа ву	ne we	dicai	Enton	lology	, WA	Depar	uneni	от не	aıın					
REGION		Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total	Crude Rate	Age Std Rate
KIMBERLEY		0	3	0	1	0	0	0	0	0	0	0	0	4	11.1	10.3
PILBARA		1	0	0	0	0	0	0	0	0	0	0	0	1	1.6	1.6
GASCOYNE		7	5	2	1	0	0	0	0	0	0	0	0	15	162.0	168.7
MIDWEST		1	0	5	2	2	0	0	0	0	0	0	0	10	16.7	17.0
WHEATBELT		1	0	1	1	3	0	0	0	0	0	0	0	6	8.8	9.3
METRO		3	3	2	7	6	0	0	0	0	0	0	0	21	1.1	1.1
	PEEL	0	3	1	7	4	0	0	0	0	0	0	0	15	5.3	5.2
	LESCHENAULT	4	0	1	1	1	0	0	0	0	0	0	0	7	9.4	10.5
	GEOGRAPHE	0	0	1	0	0	0	0	0	0	0	0	0	1	1.7	1.9
	ELSEWHERE SW	3	0	1	0	0	0	0	0	0	0	0	0	4	8.2	7.7
SOUTH WEST		7	3	4	8	5	0	0	0	0	0	0	0	27	5.8	
GREAT SOUTHERN		2	0	2	1	0	0	0	0	0	0	0	0	5	8.1	6.9
GOLDFIELDS-ESPERANCE		0	2	2	2	0	0	0	0	0	0	0	0	6	11.1	10.3
WA UNDETERMI	NED	0	0	0	0	0	0	0	0	0	0	0	0	0		
INTERSTATE		2	0	0	0	0	0	0	0	0	0	0	0	2		
WA TOTAL (does not include interstate)		22	16	18	23	16	0	0	0	0	0	0	0	95		



Ross River virus disease case data summary

South West Health Region: Jul - Sep 2021



Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data collected by Population Health Units and local governments (only locations with notified cases of disease are shown in tables and figures).


Ross River virus (RRV)


South West Health Region

10 RRV cases for the South West Health Region with 8 cases notified by Doctor. Follow-up data is available for 1 case.

The number of cases was **significantly above** the long term average for July and below average for August and September.

	,			
RRV 2021	Jul	Aug	Sep	Total
SW - Elsewhere	3		1	4
Augusta-Margaret River (S)	1		1	2
KARRIDALE	1			1
MARGARET RIVER			1	1
Bridgetown-Greenbushes (S)	1			1
BRIDGETOWN	1			1
Collie (S)	1			1
COLLIE	1			1
SW - Geographe			1	1
Busselton (C)			1	1
VASSE			1	1
SW - Leschenault	4		1	5
Bunbury (C)	1		1	2
BUNBURY	1			1
EAST BUNBURY			1	1
Harvey (S)	3			3
AUSTRALIND	2			2
ROELANDS	1			1
Total	7		3	10





Barmah Forest virus disease case data summary


South West Health Region and State summary: Jul - Sep 2021

Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data collected by Population Health Units and local governments (only locations with notified cases of disease are shown in tables and figures).

Barmah Forest virus (BFV) Western Australia

A total of 4 cases of BFV have been reported between 1 July 2021 and 30 September 2021 in Western Australia. 3 were notified by Doctor and follow-up data is available for 1 case.

The number of cases was below the long term average for July and August.




Barmah Forest virus (BFV) South West Health Region

No BFV cases in the South West Health Region between July - September 2021.

The 5-year moving average is less than one case per month for this region.

		"Com	piled by	the Me	edical	Enton	nology	, WA	Depar	tment	of Hea	iith					
REGION			Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total	Crude Rate	Age Std Rate
KIMBERLEY			0	1	0	0	0	0	0	0	0	0	0	0	1	2.8	2.
PILBARA			0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.
GASCOYNE			0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.
MIDWEST			0	0	0	0	1	0	0	0	0	0	0	0	1	1.7	1.
WHEATBELT			1	0	0	0	0	0	0	0	0	0	0	0	1	1.5	2.
METRO			0	0	1	0	0	0	0	0	0	0	0	0	1	0.1	0.
		PEEL	0	0	1	0	0	0	0	0	0	0	0	0	1	0.4	0.
		LESCHENAULT	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.
		GEOGRAPHE	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.
		ELSEWHERE SW	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.
SOUTH WEST			0	0	1	0	0	0	0	0	0	0	0	0	1	0.2	
GREAT SOUTHERN		0	0	0	0	1	0	0	0	0	0	0	0	1	1.6	1.	
GOLDFIELDS-ESPERANCE		0	0	0	1	0	0	0	0	0	0	0	0	1	1.9	2.	
WA UNDETERMINED		0	0	0	0	0	0	0	0	0	0	0	0	0			
INTERSTATE			0	0	0	0	0	0	0	0	0	0	0	0	0		
WA TOTAL (does not include interstate)		1	1	2	1	2	0	0	0	0	0	0	0	7			



Climate outlook for Western Australia

Dec 2021 – Feb 2022

Predicted impact of climatic conditions on mosquito breeding

The ENSO Outlook remains at La Niña ALERT. This means that the El Niño–Southern Oscillation is currently neutral, but the chance of La Niña forming in the coming months is around 70%.

The negative IOD is likely near its end, returning and to reach neutral levels soon which has little influence on Australian climate.

Impact on mosquito breeding: Warmer days and nights across much of the state are conducive to mosquito breeding and possible mosquito-borne virus activity. Both MVE and Kunjin virus activity has been detected in some Kimberley and Pilbara sentinel chicken flocks from April through to September 2021.

El Niño-Southern Oscillation (ENSO)

A weather forecast based on interaction between the atmosphere and tropical Pacific Ocean. Conditions can be El Niño, La Niña or neutral:

El Niño: Associated with drier conditions, decreased rainfall and tidal activity. Warmer days in south. Late start to northern wet season with less cyclones and less flooding.

La Niña: Associated with wetter, cooler days and warmer nights (due to increased cloud cover). Earlier start to the northern wet season with more tropical cyclones. More conducive to mosquito breeding and possible mosquito-borne virus activity.


Indian Ocean Dipole (IOD)

Positive IOD: Brings below average winter-spring rainfall, warmer days in the west, warmer nights in the south west, and cooler nights in the north.

Negative IOD: Brings above average winter-spring rainfall, cooler days in the south, and warmer nights in the north with increased chances of flooding.

International Research Institute for Climate and Society (IRI ENSO) Forecast


Issued 09 November 2021



ENSO Alert Status: La Niña Alert- with around a 70% chance of La Niña forming in the coming months.



Australian BOM Rainfall Outlook Issued 11 November 2021



Rainfall is likely to be close to average for most of the state.


Australian BOM Temperature Outlook Issued 11 November 2021

Chance of exceeding the median maximum temperature for December 2021 to February 2022

Daytime temperatures are likely to be above average for most of the state with the exception of the coastal areas in the state's south east.

© Commonwealth of Australia 2021. Australian Bureau of

Chance of exceeding the median minimum temperature for December 2021 to February 2022



Night-time temperatures are very likely to be warmer than average across the north, central and south western areas of the state.