

# Medical Entomology Quarterly Report Pilbara Health Region: Jan – Mar 2022



# Ross River virus disease case data summary

Western Australia: 2021/2022


Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data collected by Population Health Units and local governments (only locations with notified cases of disease are shown in tables and figures).

### Ross River virus (RRV)

### **Western Australia**

313 RRV cases were notified across WA during this quarter. 239 of these were also notified by doctor. Follow-up surveys can only be requested for cases that have been notified by doctor. Follow-up data is available for 115 cases.

The number of cases across WA was at the long term mean for January and below the long term mean for February and March 2022.




Doctor Notification Rate: 76%\*

Follow-up Response Rate for Dr notified cases: 48%\*\*

\*calculated as number of Dr notified cases divided by number of lab notified cases

\*\*calculated as number of follow up surveys (ESD) received divided by number of Dr notified cases.

	Ser	ologically confirmed											Ross	Rive	er virus		
		disea	ase ea	ch m	onth	in W	/A, Jı	ıly 20	)21 -	June	2022	#					
		* Compile	ed by ti	ne Me	dical	Entor	nolog	y, WA	Depa	rtmei	nt of H	lealth	,				
REGION			Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Арг	May	Jun	Total	Crude Rate	Age Std Rate
KIMBERLEY			0	3	1	1	1	0	2	5	14	4	1	0	32	88.8	88.6
PILBARA			1	0	0	1	2	0	2	4	1	1	0	0	12	19.1	15.6
GASCOYNE			11	2	1	0	0	0	0	1	0	0	0	0	15	162.0	161.8
MIDWEST			1	1	8	3	4	3	3	2	0	1	0	0	26	43.4	39.0
WHEATBELT			1	0	2	4	5	3	3	3	2	1	0	0	24	35.1	35.1
METRO			3	3	2	7	11	24	46	70	45	13	1	0	225	12.2	12.0
SW-PEEL			1	3	4	12	15	19	27	6	11	3	1	0	102	36.0	36.5
SW-LESCHENAL	LT.		5	0	1	0	3	10	13	3	4	1	0	0	40	53.7	52.5
5W-Geographe			0	0	1	0	2	3	6	5	3	0	1	0	21	35.8	36.0
SW-ELSEWHERE			3	0	1	0	2	5	9	5	2	2	0	0	29	59.8	55.7
SOUTH WEST(	-		9	3	7	12	22	37	55	19	20	6	2	0	192	41.3	
GREAT SOUTH	ERN		2	1	2	4	4	14	8	3	2	1	0	0	41	66.8	64.7
GOLDFIELDS-E	SPERA	NCE	0	2	3	1	2	3	2	0	1	1	0	0	15	27.8	25.8
WA UNDETERM	IINED		0	0	0	0	0	0	0	0	0	0	0	0	0		
INTERSTATE			2	0	1	1	3	1	0	1	0	0	0	0	9		
WA TOTAL (doe	es not in	clude interstate)	28	15	26	33	51	84	121	107	85	28	4	0	582		









## Ross River virus disease case data summary

Pilbara Health Region: Jan - Mar 2022



Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data collected by Population Health Units and local governments (only locations with notified cases of disease are shown in tables and figures).


### Ross River virus (RRV)


### **Pilbara Health Region**

7 RRV cases were notified by lab. 6 of these were also notified by doctor. Follow-up data is available for two cases in East Pilbara.

The number of cases was **below the long term mean** for January and February and **significantly below the long term mean** for March 2022.

RRV 2022	Jan	Feb	Mar	Total
Pilbara	2	4	1	7
Ashburton (S)		1		1
PARABURDOO		1		1
East Pilbara (S)	1	1		2
MARBLE BAR		1		1
NEWMAN	1			1
Port Hedland (T)	1	1	1	3
SOUTH				
HEDLAND	1	1	1	3
Karratha (C)		1		1
NICKOL		1		1
Total	2	4	1	7





Doctor Notification Rate: 86%\*

Follow-up Response Rate for Dr notified cases: 33%\*\*

\*calculated as number of Dr notified cases divided by number of lab notified cases

\*\*calculated by number of follow up surveys (ESD) received divided by number of Dr notified cases. Follow-up can only be requested for Dr notified cases.

# Barmah Forest virus disease case data summary

Pilbara Health Region and State summary: Jan – Mar 2022

Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data collected by Population Health Units and local governments (only locations with notified cases of disease are shown in tables and figures).

# Barmah Forest virus (BFV) Western Australia

8 BFV cases were notified in Western Australia this quarter. 3 were notified by doctor. Follow-up data is available for 3 cases from Coral Bay, Denmark and Stratham.

The number of cases was approximately at the long term mean for January and February and below the long term mean for March 2022.

BFV 2022	Jan	Feb	Mar	Total
Gascoyne	1			1
Carnarvon (S)	1			1
CORAL BAY	1			1
Goldfields-Esperance		1		1
Kalgoorlie/Boulder (C)		1		1
KALGOORLIE		1		1
Great Southern	1			1
Denmark (S)	1			1
DENMARK	1			1
Kimberley		1	2	3
Broome (S)		1		1
BROOME		1		1
Wyndham-East Kimberley (S)			2	2
KUNUNURRA			2	2
SW - Geographe	1			1
Capel (S)	1			1
STRATHAM	1			1
SW - Peel		1		1
Serpentine-Jarrahdale (S)		1		1
JARRAHDALE		1		1
Total	3	3	2	8


### Barmah Forest virus (BFV) Pilbara Health Region


No BFV cases were notified this quarter.

The long term monthly mean is less than one case per month for this region.



	disease each month in WA, July 2021 - June 2022 #															
	* Compile	d by ti	he Me	dical	Entor	nolog	y, WA	Depa	rtmei	nt of h	lealth					
REGION		Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total	Crude Rate	Age Std Rate
KIMBERLEY		0	1	0	0	0	0	0	1	2	1	0	0	5	13.9	19.4
PILBARA		0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
GASCOYNE		0	0	0	0	0	0	1	0	0	0	0	0	1	10.8	15.7
MIDWEST		0	0	0	0	3	0	0	0	0	0	0	0	3	5.0	5.5
WHEATBELT		1	0	0	0	0	0	0	0	0	0	0	0	1	1.5	2.1
METRO		0	0	1	0	0	0	0	0	0	0	0	0	1	0.1	0.1
SW-PEEL		0	0	1	0	0	1	0	1	0	0	0	0	3	1.1	0.9
SW-LESCHENAULT		0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
SW-Geographe		0	0	0	0	1	2	1	0	0	0	0	0	4	6.8	5.7
SW-ELSEWHERE		0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
SOUTH WEST(Total)		0	0	1	0	1	3	1	1	0	0	0	0	7	1.5	
GREAT SOUTHERN		0	0	0	0	1	1	1	0	0	0	0	0	3	4.9	4.4
GOLDFIELDS-ESPERAN	CE	0	0	0	1	0	0	0	1	0	0	0	0	2	3.7	4.5
WA UNDETERMINED		0	0	0	0	0	0	0	0	0	0	0	0	0		
INTERSTATE		0	0	0	0	0	0	0	0	0	0	0	0	0		
WA TOTAL (does not incl	ude interstate)	1	1	2	1	5	4	3	3	2	1	0	0	23		





# Climate outlook for Western Australia Jun - Aug 2022

# Predicted impact of climatic conditions on mosquito breeding

La Niña continues in the tropical Pacific, with little change in strength in the past few weeks. Most models predict a return to neutral ENSO in early winter.

The IOD is currently neutral, although a negative IOD is likely to develop in coming months.

**Impact on mosquito breeding**: Warmer wetter days and nights are more conducive to mosquito breeding and possible mosquito-borne virus activity.

Japanese Encephalitis has not been detected in WA. However MVE and Kunjin virus activity has been detected in sentinel chicken flocks in the Kimberley region in Feb, Mar and April this year.

### El Niño-Southern Oscillation (ENSO)

A weather forecast based on interaction between the atmosphere and tropical Pacific Ocean. Conditions can be El Niño, La Niña or neutral:

El Niño: Associated with drier conditions, decreased rainfall and tidal activity. Warmer days in south. Late start to northern wet season with less cyclones and less flooding.


La Niña: Associated with wetter, cooler days and warmer nights (due to increased cloud cover). Earlier start to the northern wet season with more tropical cyclones. More conducive to mosquito breeding and possible mosquito-borne virus activity.

### Indian Ocean Dipole (IOD)

**Positive IOD:** Brings below average winter-spring rainfall, warmer days in the west, warmer nights in the south west, and cooler nights in the north.

**Negative IOD:** Brings above average winter-spring rainfall, cooler days in the south, and warmer nights in the north with increased chances of flooding.


# International Research Institute for Climate and Society (IRI ENSO) Forecast & BOM Issued 10 May 2022 Early-May 2022 CFC/IRI Official Probabilistic ENSO Forecasts DISO state based on NIOD 4 ST Anomaly Neutral ENSO - 0.5 °C to 0.5 °C t



# Security of the median maximum temperature for June to August 2022 That is a second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the median maximum temperature for June to August 2022 The second of exceeding the

**Australian BOM Temperature Outlook** 

**Daytime temperatures** are likely to be warmer than median for the tropical north and south west regions, and cooler than median for central WA.



**Night-time temperatures** are very likely to be warmer than median across the whole state.