

Government of **Western Australia** Department of **Health**

Medical Entomology Quarterly Report Mid West Region: Jan – Mar 2020



Ross River virus disease case data summary Mid West Region: Jan – Mar 2020

Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data collected by Population Health Units and local governments (only locations with notified cases of disease are shown in tables and figures).

Ross River virus (RRV) Mid West Health Region


3 RRV cases this quarter for the Mid West Health Region.


The number of cases was at or significantly below the 5-year moving average.

Mid West Health Region



RRV 2020	Jan	Feb	Mar	Total
Midwest	1		2	3
Cue (S)			1	1
CUE			1	1
Wiluna (S)			1	1
WILUNA			1	1
Greater Geraldton (C)	1			1
WESTEND	1			1
Total	1		2	3






Ross River virus disease case data summary Western Australia: 2019/20

Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data collected by Population Health Units and local governments (only locations with notified cases of disease are shown in tables and figures).

Ross River virus (RRV) Western Australia


A total of 259 cases of RRV have been reported between 1 July 2019 and 30 April 2020 in Western Australia.

The number of cases was significantly below the 5-year moving average.





	dise	ease ea	ch m	onth	in W	A, Ju	ly 20	19	June	2020	#					
	* Compiled by the Medical Entomology, WA Department of Health															
REGION		Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total	Crude Rate	Age Std Rate
KIMBERLEY		0	1	0	0	0	0	1	4	13	6	0	0	25	69.4	65.9
PILBARA		4	3	1	1	1	0	2	1	6	2	0	0	21	34.0	30.2
GASCOYNE		0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
MIDWEST		4	0	1	0	0	0	1	0	2	0	0	0	8	13.2	12.1
WHEATBELT		0	1	0	0	0	0	0	1	2	1	0	0	5	7.3	6.7
METRO		7	14	17	14	9	3	13	10	6	6	0	0	99	5.5	5.3
	PEEL	4	4	5	2	5	3	4	4	4	4	0	0	39	14.4	13.2
	LESCHENAULT	3	2	2	2	0	1	1	0	0	1	0	0	12	16.2	15.8
	GEOGRAPHE	1	4	2	2	3	3	3	2	1	1	0	0	22	38.6	43.7
	ELSEWHERE SW	0	2	0	3	1	0	1	0	0	0	0	0	7	14.7	15.6
SOUTH WEST		8	12	9	9	9	7	9	6	5	6	0	0	80	17.8	
GREAT SOUTHERN		0	1	0	2	0	2	5	1	0	2	0	0	13	21.4	20.1
GOLDFIELDS-ESPE	ERANCE	2	3	0	0	0	1	0	0	2	0	0	0	8	14.5	15.0
WA UNDETERMINE	D	0	0	0	0	0	0	0	0	0	0	0	0	0		
INTERSTATE		3	0	0	1	0	0	0	0	0	0	0	0	4		
WA TOTAL (does n	ot include interstate)	25	35	28	26	19	13	31	23	36	23	0	0	259		




Barmah Forest virus disease case data summary Mid West and State summary: 2019/20

Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data collected by Population Health Units and local governments (only locations with notified cases of disease are shown in tables and figures).

Barmah Forest virus (BFV) Western Australia

A total of 16 cases of BFV have been reported between 1 July 2019 and 30 April 2020 in Western Australia.

The number of cases was at or below the 5-year moving average.




Barmah Forest virus (BFV) Mid West Region

No new cases of BFV in the Mid West Health Region between Jan-Mar 2020.

The 5-year moving average is less than one case per month for this region.

Serologically confirmed doctor-notified and laboratory reported cases of Barmah Forest virus																
	dise	ease ea	ch m	onth	in W	A, Ju	ily 20	19 - 、	June	2020	#					
	*Com	piled by 1	the Me	dical	Enton	nology		Donar	tmon	of He	alth					
	Com		ine me	uicai	Linton	lology	,	Depai	unem	orne	aiui					
REGION		Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total	Crude Rate	Age Std Rate
KIMBERLEY		0	1	0	1	0	0	0	0	2	0	0	0	4	11.1	11.7
PILBARA		0	0	0	0	0	0	0	1	0	0	0	0	1	1.6	1.4
GASCOYNE		1	0	0	0	0	0	0	0	0	0	0	0	1	10.6	9.7
MIDWEST		0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
WHEATBELT		0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
METRO		0	2	0	0	0	0	0	0	0	0	0	0	2	0.1	0.1
	PEEL	0	0	0	0	1	0	0	0	0	0	0	0	1	0.4	0.3
	LESCHENAULT	0	0	0	0	0	0	0	1	0	0	0	0	1	1.4	1.0
	GEOGRAPHE	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
	ELSEWHERE SW	0	0	0	0	0	0	1	0	0	0	0	0	1	2.1	1.4
SOUTH WEST		0	0	0	0	1	0	1	1	0	0	0	0	3	0.7	
GREAT SOUTHER	RN	0	0	0	0	1	0	0	0	3	0	0	0	4	6.6	6.5
GOLDFIELDS-ESI	PERANCE	0	0	0	0	1	0	0	0	0	0	0	0	1	1.8	1.7
WA UNDETERMIN	NED	0	0	0	0	0	0	0	0	0	0	0	0	0		
INTERSTATE		0	0	0	0	0	0	0	0	0	0	0	0	0		
WA TOTAL (does	s not include interstate)	1	3	0	1	3	0	1	2	5	0	0	0	16		



Climate outlook for Western Australia

May – July 2020

Predicted impact of climatic conditions on mosquito breeding

Climate drivers, ENSO and the Indian Ocean Dipole (IOD), are both neutral and likely to remain so though until to spring. There is some likelihood that La Niña conditions may develop in late winter/early spring. Most models predict a negative IOD could develop from midwinter (see explanation below).

Impact on mosquito breeding:

Above average rainfall conditions and warmer nights, predicted across the State, are conducive to mosquito breeding and possible mosquito-borne virus activity. This will be heightened if conditions swing towards La Niña in early spring.

El Niño-Southern Oscillation (ENSO)

A weather forecast based on interaction between the atmosphere and tropical Pacific Ocean. Conditions can be El Niño, La Niña or neutral:

El Niño: Associated with drier conditions, decreased rainfall and tidal activity. Warmer days in south. Late start to northern wet season with less cyclones and less flooding.


La Niña: Associated with wetter, cooler days and warmer nights (due to increased cloud cover). Earlier start to the northern wet season with more tropical cyclones. More conducive to mosquito breeding and possible mosquito-borne virus activity.

Indian Ocean Dipole (IOD)

Positive IOD: Brings below average winter-spring rainfall, warmer days in the west, warmer nights in the south west, and cooler nights in the north.


Negative IOD: Brings above average winter-spring rainfall, cooler days in the south, and warmer nights in the north with increased chances of flooding.

International Research Institute for Climate and Society (IRI ENSO) Forecast



ENSO Alert Status is Not Active. ENSO-neutral is expected to continue through to Spring 2020.


Australian BOM Rainfall Outlook Issued 16 April 2020




Rainfall is likely to be above average across WA with higher chances in inland areas

Australian BOM Temperature Outlook Issued 16 April 2020

Chance of exceeding the median maximum temperature for May to July 2020



Daytime temperatures are likely to be above average across Northern WA, although days have roughly equal chances of being above or below average in the south.



Night-time temperatures are likely to be warmer than average across WA.