

Medical Entomology Quarterly Report North Metropolitan region: Oct – Dec 2019



Ross River virus disease case data summary

North Metropolitan region: Oct - Dec 2019

Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data collected by Population Health Units and local governments (only locations with notified cases of disease are shown in tables and figures).


Ross River virus (RRV)

North Metropolitan region

10 RRV cases were notified by lab, including 3 also notified by doctor in Gwelup, Hillarys and Yokine. Follow up data are available for 2 cases.


The number of cases was significantly below the 5 year moving average in this quarter.


North Metropolitan Health region



1

10





Swan (C) BALLAJURA

Total

Ross River virus disease case data summary

Western Australia: 2019/20

Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data collected by Population Health Units and local governments (only locations with notified cases of disease are shown in tables and figures).


Ross River virus (RRV) Western Australia

A total of 181 cases of RRV have been reported between 1 July 2019 and 15 February 2020 in Western Australia.

The number of cases was significantly below the 5-year moving average.

	Serologically confirme							•				KOSS	River	virus		
	dis	ease ea	ach m	onth	in W	A, Ju	ly 20	19 - J	June	2020	#					
	#Com	piled by	the M	edical	Enton	nology	, WA	Depar	rtment	of He	alth					
REGION		Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total	Crude Rate	Age Std Rate
KIMBERLEY		0	1	0	0	0	0	0	0	0	0	0	0	1	2.8	2.9
PILBARA		4	3	1	1	1	0	3	0	0	0	0	0	13	21.1	18.8
GASCOYNE		0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
MIDWEST		4	0	1	0	0	0	1	0	0	0	0	0	6	9.9	9.4
WHEATBELT		0	1	0	0	0	0	0	0	0	0	0	0	1	1.5	0.8
METRO		7	15	17	14	8	3	14	8	0	0	0	0	86	4.8	4.6
	PEEL	4	4	4	2	5	3	4	1	0	0	0	0	27	9.9	8.9
	LESCHENAULT	3	2	2	2	0	1	1	0	0	0	0	0	11	14.9	14.2
	GEOGRAPHE	1	4	1	2	3	4	3	0	0	0	0	0	18	31.6	36.2
	ELSEWHERE SW	0	2	0	3	1	0	1	0	0	0	0	0	7	14.7	15.6
SOUTH WEST		8	12	7	9	9	8	9	1	0	0	0	0	63	14.0	
GREAT SOUTHER	RN	0	1	0	2	0	0	2	0	0	0	0	0	5	8.2	8.6
GOLDFIELDS-ESPERANCE		2	3	0	0	0	1	0	0	0	0	0	0	6	10.9	11.3
WA UNDETERMIN	NED	0	0	0	0	0	0	0	0	0	0	0	0	0		
INTERSTATE		3	0	0	1	0	0	0	0	0	0	0	0	4		
WA TOTAL (does not include interstate)		25	36	26	26	18	12	29	9	0	0	0	0	181		





Barmah Forest virus disease case data summary

North Metropolitan and State summary: 2019/20

Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data collected by Population Health Units and local governments (only locations with notified cases of disease are shown in tables and figures).

Barmah Forest virus (BFV) North Metropolitan region

No BFV cases were notified.


The 5 year moving average is less than one case per month for this region.

Barmah Forest virus (BFV) Western Australia

A total of 7 cases of BFV have been reported between 1 July 2019 and 31 January 2020 in Western Australia.

The number of cases was significantly below the 5-year moving average.

	Serologically confirmed	doctor-	notifi	ed ar	nd lak	orat	ory re	port	ed ca	ises (of Ba	rmah	Fore	st virus	;	
	disc	ease ea	ich m	onth	in W	A, Ju	ly 20	19 - J	lune :	2020	#					
	#Com	oiled by	the M	edical	Enton	nology	, WA	Depar	tment	of Hea	ilth				1	
REGION		Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total	Crude Rate	Age Std Rate
KIMBERLEY		0	1	0	0	0	0	0	0	0	0	0	0	1	2.8	2.9
PILBARA		0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
GASCOYNE		1	0	0	0	0	0	0	0	0	0	0	0	1	10.6	9.7
MIDWEST		0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
WHEATBELT		0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
METRO		0	2	0	0	0	0	0	0	0	0	0	0	2	0.1	0.1
	PEEL	0	0	0	0	1	0	0	0	0	0	0	0	1	0.4	0.3
	LESCHENAULT	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
	GEOGRAPHE	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
	ELSEWHERE SW	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
SOUTH WEST		0	0	0	0	1	0	0	0	0	0	0	0	1	0.2	
GREAT SOUTHER	N	0	0	0	0	1	0	0	0	0	0	0	0	1	1.6	1.0
GOLDFIELDS-ESPERANCE		0	0	0	0	1	0	0	0	0	0	0	0	1	1.8	1.7
WA UNDETERMINED		0	0	0	0	0	0	0	0	0	0	0	0	0		
INTERSTATE		0	0	0	0	0	0	0	0	0	0	0	0	0		
WATOTAL (does not include interstate)		1	3	0	0	3	0	0	0	0	0	0	0	7		



Climate outlook for Western Australia

March – May 2020

Predicted impact of climatic conditions on mosquito breeding

ENSO and the Indian Ocean Dipole are neutral and likely to remain neutral though autumn. As a result average seasonal rainfall is expected.

Impact on mosquito breeding: Average rainfall conditions are less conducive to mosquito breeding in natural environments. However in the south west a higher chance of above average rainfall is predicted, combined with warmer temperatures may bring an increased chance of mosquito breeding and mosquito borne disease prevalence.

El Niño-Southern Oscillation (ENSO)

A weather forecast based on interaction between the atmosphere and tropical Pacific Ocean. Conditions can be El Niño. La Niña or neutral:

El Niño: associated with drier conditions, decreased rainfall and tidal activity.

La Niña: associated with wetter, cooler days and warmer nights. More conducive to mosquito breeding.

Positive Indian Ocean Dipole


Brings below average rainfall, and above average temperatures.

International Research Institute for Climate and Society (IRI ENSO) Forecast Issued 13 February 2020 Early-February 2020 CPC/IRI Official Probabilistic ENSO Forecasts ENSO state based on NINO3.4 SST Anomaly Neutral ENSO: -0.5 °C to 0.5 °C ENSO Alert Status is Not Active. ENSO-neutral is expected to continue through to Autumn and Winter

2020.


Australian BOM Rainfall Outlook Issued 20 February 2020 Chance of exceeding the median rainfall for March to May 2020

Rainfall is likely to be above average in the south west of WA.



Australian BOM Temperature Outlook

Daytime temperatures for autumn are likely to be above average across Australia, although days have roughly equal chances of being above or below average in the south.



Autumn night-time temperatures are likely to be warmer than average.